PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: G10H 1/00, 7/00

A1

(11) International Publication Number:

WO 97/35299

(43) International Publication Date: 25 September 1997 (25.09.97)

(21) International Application Number:

PCT/US97/04636

.(22) International Filing Date: 🕟

20 March 1997 (20.03.97)

(30) Priority Data:

08/618,906

20 March 1996 (20.03.96)

US

(60) Parent Application or Grant

(63) Related by Continuation

US Filed on

08/618,906 (CON) 20 March 1996 (20.03.96)

(71) Applicant (for all designated States except US): CALIFORNIA INSTITUTE OF TECHNOLOGY [US/US]; 1201 East California Boulevard, Mail Code 315-6, Pasadena, CA 91125 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): GOODMAN, Rodney, M. [GB/US]; 462 E. Las Flores Drive, Altadena, CA 91001 (US). SPANGLER, Randall, R. [US/US]; 170 S. Chester Avenue #13, Pasadena, CA 91106 (US).


(74) Agents: HARRIS, Scott, C. et al.; Fish & Richardson P.C., Suite 1400, 4225 Executive Square, La Jolla, CA 92037 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: MUSIC COMPOSITION



(57) Abstract

A music composition system (1), comprising receiving a first harmony including a first melody, analyzing the first harmony to derive in real-time a rule relating the first melody to the first harmony, receiving a second melody, and applying the rule in real-time to the second melody to produce a second harmony relating to the second melody.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	1E	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	îsrael	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	ΚZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

MUSIC COMPOSITION

Background of the Invention

5 1. Field of the Invention

20

The invention relates to computer-aided music analysis and composition.

2. Description of the Prior Art.

Composition and playing of music requires years of
dedication to the cause. Many talented individuals are
simply unable to dedicate so much of their lives to learning
the skill. Technology has grappled with allowing nonpracticed individuals to play music for years. Player
pianos, automated music and rhythm organs, and electronics
keyboards have minimized the learning curve. While these
devices automated some parts of music reproduction to some
extent, they severely constrained creativity.

The player piano, for example, used a predetermined program indicated by holes in a roll of paper. The keys that were pressed based on those holes were indifferent to the creative ideas of an unskilled operator.

All of these technologies force operators to rely on pre-packaged music originated by others. They allow very little creativity. Even the keynote in which the pre-

25 programmed sounds are to be played is preselected. Merely

WO 97/35299 PCT/US97/04636

arranging snippets of another's music has proved a poor substitute for creating one's own music.

Recently, some have tried to apply computer power in aid of the composer. U.S. Patent no. 5,308,915 is

5 representative of the many systems that use a neural network. Computer-based music analysis and composition has used, for example, neural network computer technology.

Neural networks which make use of concepts related to the operation of the human brain. Neural networks operate in an analog or continuously variable fashion. Some neural network approaches use some sort of rule-based preprocessing and post-processing. The knowledge which the system uses to make its decisions is inaccessible to the user.

For example, takes a system with the following steps:

Input from MIDI keyboard (10)

Preprocessor puts input into a form that a neural network can understand (20)

20

Neural network (30)

- 2 -

Postprocessor to turn neural network output back into MIDI (40)

Output to MIDI sound module (50)

5

10

15

The input and output that the system is sending may be understandable at each point in the process.

However, ALL of the LEARNED knowledge that the system uses to make its decisions is hidden in the weights of the connections inside the neural network (30). The inventors recognized that this knowledge is extremely difficult to extract from the network. It is difficult to phrase music in a form directly that can be understood by a network. All neural networks share the common characteristic that at some point in the process, knowledge is not stored in a directly-accessible declarative form.

Another limitation commonly encountered in neural network approaches is related to external feedback, where the output of the network is used at some point in the future as input to the network. Here, the analog nature of the network allows it to slide away from the starting point and towards one of the melodies on which it was trained. One example is a network which learned the "blue danube".

WO 97/35299 PC 1/US9//U4030

The problem with this network was that no matter what input you gave it, eventually it started playing the blue danube. The key point here is that the network may have learned the blue danube, but it did NOT learn HOW to write it or how to write SIMILAR but not IDENTICAL music.

5

Moreover, neural networks are analog machines, and it is difficult to make an analog machine (a neural network) approximate a discrete set of data (music with a finite number of pitches and rhythmic positions).

One type of network used for composition is a single 10 feed-forward network. This network has been used to associate chords with melodies. This system was described by Shibata in 1991. This system represents chords as their component tones instead of by their figured bass symbols. The network also required the entire melody at once, meaning 15 it could not be performed in real-time as the melody was being generated by a musician. An important contribution from Shibata's work is the use of psychophysical experiments to gauge the success of a computer compositional approach; listeners evaluated the output of the network compared to a 20 table-driven harmonizing approach and indicated a measure of how natural the output sounded.

5

10

15

20

Adding recurrent connections to a neural network provides additional computational complexity, and allows the network to evolve some sense of movement through time. This approach has been used to teach a network a single 153-note melody.

The inventors recognized certain limitations in these previous studies. Neural networks have a continuous analog nature, which has proven to be difficult to apply to apply to music's a discrete set of events. Almost all music has some sort of regular rhythm, with notes starting either directly on a beat or at just a simple fraction of the beat. Note durations behave similarly.

Most music is also tonal, using only a finite number of pitch values. Neural networks, which use a continuous or analog mode of operation, require excessive training to approximate this discrete behavior. This is a very inefficient use of a nueral network.

Neural networks learn in a connective way, which is not conducive to determination of the rationale behind the learning. The inventors recognized that a music composer either likes or dislikes certain effects which have been obtained. It is an object of the present invention to allow the composer to interact with the computer based learning

WU 97/35299

Best Available Copy

5

20

system by viewing and/or modifying the results of the computer based learning system. It might be possible to modify a neural network to respond to feedback from a user about what that user likes or dislikes as suggested according to the present invention. Even if this were done, however, it would not be easy to ask the network, "I HATE that! Why did you do that?"

Some research has been done using rule-based computer analyses that learn from examples. Rule-based systems are inherently discrete, easing system training. An example of a generic rule is shown below, with a left-hand side (LHS) referencing one or more attributes A_x and a right-hand side (RHS) referencing an attribute A_{RHS}. Such a rule inferences the RHS attribute A_{RHS}. A set of such rules is known as a rule base.

LHS RHS

IF $A_1 = a_{1,2}$ and $A_2 = a_{2,5}$ THEN $A_{RHS} = a_{RHS,3}$

U.S. Patent No. 5,418,325 describes a computer receiving a musical element, <u>i.e.</u>, a series of notes over time. This is used to build a table of rules that indicate which notes are most likely to follow each note received. Such a table is of some help to a composer of a new element

in order to create a series of notes that are pleasing to the ear.

The inventors recognized that this will give a correct distribution, but will not necessarily sound good. Music which is done purely probabalistically is BORING, i.e., it doesn't interest the ear.

U.S. Patent No. 5,418,323 describes a system in which rules built from a small seed string of notes. The system is usually not responsive to feedback in real-time.

The systems of U.S. Patents Nos. 5,302,777,
5,218,153, and 4,981,544, for example, create such competing rules but follow through with only simplistic methods of making use of these rules. The present invention defines a new technique of weighing which allows competing rules to be maintained and appropriately used.

It is hence an object of the present invention to provide a system which includes all of the advantageous aspects of the present invention - a system which operates using the least possible amount of computer power to learn musical rules and weights and apply them in real-time. The present invention also allows interaction with the rules, e.g. by viewing and/or modifying the rules that have fired.

20

The system preferably stores information in the form

WO 97/35299 PCT/US97/04636

Best Available Copy

of rules, unlike the conventional learning system which stores information. The use of rules in addition to learning provides some of the benefits of both. The present invention uses probabilistic rules to obtain many of the capabilities of analog networks. By so doing, the present invention obtains all of the benefits of a rule-based system. This allows us to ask the system to explain its decisions.

Practical operation of these systems is enhanced if

the rule base is appropriately managed. Another aspect of
the present invention defines a special real-time
dependency pruning system which enhances the accuracy of the
rulebase. Another aspect teaches segmenting the rulebases
in a way which facilitates their use. Yet another aspect of
the invention defines using probabilistic, e.g., not
deterministic, rules.

The operating techniques used by the present invention allow a simple algorithm with small chunks of data to accompany a live musician. The preferred system uses special rules which are optimized for the use according to the present invention.

It is therefore an object of the invention to provide a music composition system useful to one lacking

20

formal training in musical arts. Another object is to provide a system which creates rules through analysis of music. Another object of the system is to provide a real-time composition system which applies these rules in real-time. The present system does not need to create the rules in real-time. In fact, the computers presently being used take several minutes to create the rules it later is able to apply to musical input with a delay of less than 1/10 second.

Another object of the invention is to provide an automated music composition system that creates rules through real-time analysis of music. In addition, it is an object of the invention to provide an automated music composition system requiring little explicitly-coded

knowledge of music. It is a further object of the invention to provide an automated rule-based music composition system in which multiple competing rules contribute to an outcome. Still another object of the invention is to provide an automated rule-based music composition system using special rules optimized to provide the best results.

Brief Description of the Drawings

WO ソルンコムソソ

These and other aspects of the invention will now be described in detail with reference to the accompanying drawings, wherein:

- Fig. 1 is a diagram of hardware equipment connections according to the invention;
 - Fig. 2 is an overall flowchart of a method of music composition according to the invention;
 - Fig. 3 is a flowchart of a method of conversion to figured bass according to the invention;
- Fig. 4 shows a formula which determines a J-measure according to the invention;
 - Figs. 5-8 depict a detailed flowchart of a method of rule generation according to the invention;
- Fig. 9 is a flowchart of a method of harmonization according to the invention;
 - Fig. 10 is a flowchart of a method of conversion to MIDI according to the invention; and
 - Figs. 11-14 are musical charts representing products of music composition according to the invention.

20 <u>Description of the Preferred Embodiments</u>

It should be understood that many of the techniques described herein are intended to be carried out in software

5

20

on a computer-based system, such as a personal computer or synthesizer. The following describes the functions that are carried out.

The music composition system of the present invention automatically learns rules representing a particular style of music and uses those rules to generate new music in the same style. The generated accompaniment can be for a performing musician in real-time.

Fig. 1 shows the system using a standard 486SX

10 computer 10 running a standard operating system, e.g., DOS

or a multithreaded operating system such as Microsoft

Windows NT. User input in, e.g., MIDI format can be

accepted through the computer keyboard 30 or through any

synthesizer or musical keyboard connected to the computer by

15 a standard MIDI interface. The system's output is sent via

the MIDI interface to a synthesizer 50 for playback.

The application examples below provide a context for the detailed information to follow. For instance, the system can operate as a computerized expert trained using examples of a particular musical style. Students attempting to write music in the particular style can ask the computerized expert not only to check their compositions for errors but also to suggest alternatives. Because the system

WU y //322/1 y

Best Available Copy

is rule-based, the computerized expert based on the system can also provide explanations showing why the suggestions overcome the errors.

The system can also allow comparison of two or more different composers' works by generating a rule base for each composer. Furthermore, a musical piece can be checked against a particular composer's known rule base to determine whether the piece was in fact authored by that composer.

Soundtracks can be generated using the system. The system creates rule bases, i.e. is trained, from musical pieces known to provoke certain feelings or having certain styles. These rule bases can be used subsequently to generate music appropriate for particular situations.

The system can make a small number of musicians

sound like a large orchestra. For example, additional

musical lines generated from an existing four- or five-part

harmony can be fed to the synthesizer to make a string

quartet sound like an entire string orchestra.

Along the same lines, the system can simulate a rock-n-roll band, allowing an aspiring musician to play along. With the aspiring musician's musical instrument plugged into the computer and the style of each member of, say, The Beatles musical group encoded into an individual

5

10

15

20

rule base, the system can accompany the aspiring musician in much the same way as The Beatles would have. Furthermore, trained on a missing member's style, the system can take the place of that member in a musical group's subsequent recordings.

The system is capable of learning all of its musical knowledge from sample pieces of music. This capability provides flexibility, allowing application of the system to musical styles not originally planned. In addition, because the rules are determined and applied automatically, requiring no hand-tuning, the system works well for users lacking much technical knowledge of music. Finally, able to accept industry-standard MIDI song files as musical input, the system can generate, quickly and easily, series of rule bases representing the styles of various composers. Control over rule generation is available for advanced users of the system.

A particularly useful feature of the system is its ability to demonstrate the basis of its decisions by listing the rules extracted during training. Such listings make the system useful as an interactive aid for teaching music theory and as a tool for historians attempting to understand the creative processes of composers such as Bach and Mozart.

WU 97/35299

5

10

15

20

PCT/US97/04636

A further indication of the system's power is its ability to resolve conflicts when two or more rules call for different outcomes. The system employs several such schemes, including rule weighing and real-time dependency pruning.

The present invention provides efficient ways of generating and activating, or firing, rules, allowing the system to operate in real-time using everyday computers. Thus any live musician can use the system to generate accompaniment. The real-time aspect of the system also fits well with other interactive tasks, such as teaching music theory.

An example of the system's work is shown below.

Using the well-known Bach chorales as input, the system generates the five rules below, which are some of the most commonly-used rules in classical Bach harmony, typically appearing in any first-year music theory textbook.

- 1. IF Melody0 E THEN Function0 1
 AND Function1 V
 (G Major to C Major)
- 2. IF Melody0 F THEN Function0 IV

AND Function1 V
(G Major to F Major)

- 3. IF Function1 V THEN Inversion0 I1
 AND Function0 IV
- 5 4. IF Function1 V THEN Inversion0 IO

 AND Function0 I
 - 5. IF Function0 vii07 THEN Inversion0 I1

The system does not use a textbook but learns such rules on its own, as explained below.

Fig. 2 is a flowchart showing the operation of the system. The flowchart shows the overall operation, including:

Conversion to figured bass (step 1000),

Generation of example tables (step 1010),

Derivation of rules from examples (step 1020),

Filtering and segmentation of rules (step 1030),

Subsumption pruning of rules (step 1040),

Generation of dependence data (step 1050),

Harmonization using rules (step 1060), and

15

Conversion to MIDI (step 1070).

The preferred system works with musical information represented in a variation of a form known as figured bass. The figured bass form has been used frequently by composers to present a piece's harmonic information without stating the precise location, duration, and pitch for every single In classical form, a figured bass states the melody and represents the underlying harmony as a series of chords. Each chord is specified by its function in the key of the piece of music, written as a Roman numeral or "figure," and 10 the pitch which is being played by the bass voice. There are usually several ways of voicing any given figure, i.e., turning the figured bass representation back into notes. The preferred system uses an extended form of figured bass that includes the chord notes played by all the voices, which 15 allows the system to turn the figured bass back into notes while playing.

- Conversion to figured bass

The conversion step 1000 converts music represented in MIDI file format into the figured bass format needed by the steps that follow. The MIDI file format is a

specification for storage and transmission of musical data.

Under MIDI, musical data is arranged as a stream of events occurring at specified intervals. The following is a typical stream of MIDI data:

- Header format=0 ntrks=1 division=240 Track start Delta time=0 Time signature=3/4 MIDI-clocks/click=24 32nd notes/24-MIDI-clocks=8 Delta time=0 Tempo, microseconds-per-MIDI-quarter-note=41248 Delta time=0 Meta Text, type=0x01 (Text Event) leng=23 10 Text = <Chorale #001 in G Major> Delta time=480 Note on, chan=1 pitch=67 vol=88 Delta time=0 Note on, chan=2 pitch=62 vol=72 Delta time=0 Note on, chan=3 pitch=59 vol=88 Delta time=240 Note off, chan=4 pitch=43 vol=64 15 Delta time=0 Note off, chan=3 pitch=59 vol=64 Delta time=0 Note off, chan=2 pitch=62 vol=64 Delta time=0 Note off, chan=1 pitch 67 vol=64 Delta time=0 Note on, chan=1 pitch=67 vol=81 Delta time=0 Note on, chan=2 pitch=62 vol=75 20 Delta time=0 Note on, chan=3 pitch=59 vol=88 Delta time=0 Note on, chan=4 pitch=55 vol=60 Delta time=240 Note off, chan=4 pitch=55 vol=64 Delta time=0 Note off, chan=3 pitch=59 vol=64 Delta time=0 Note off, chan=2 pitch=62 vol=64 25 Delta time=0 Note on, chan=2 pitch=64 vol=58 Delta time=0 Note on, chan=3 pitch=60 vol=78 Delta time=1920 Meta Text, type=0x01 (Text Event) leng=7 Text = <Fermata>
- Each line in the stream is an event. For example, in the line "Delta time=240 Note off, chan=4 pitch=43 vol=64," the phrase "Delta time=240" means that the line starts executing 240 MIDI-clocks of time after the last line

WU 7//35477

Best Available Copy

started executing. "Note off" indicates that the note presently being played by channel, <u>i.e.</u>, voice "4" is to be turned off.

The significant events in the sample data are listed in the following table.

	Event	Function	Relevant Parameters	Meaning
	Time signature	Gives information about the timing of the piece	Time signature	Needed to convert beats into measures and to determine beat accents.
			32nd- notes/24- MIDI- clocks	Needed to convert current time into beat number.
10	Note on/Note off	Turns a note on or off for a specific voice	Channel	Which voice is changing (1=soprano, 2=alto, 3=tenor, 4=bass).
			Pitch	Which note is changing (pitch=60 is middle C³).
	Meta Text	Allows arbitrary messages to be sent	Text	"Chorale #001 in G Major" gives the name and key of the piece. "Fermata" states that there is a fermata on the chord starting at that time.

The inventors prefer using musical data that is not in the MIDI format as their input for musical analysis. MIDI data, which notes are being played at a given point in time is difficult to determine because the durations of the notes are not explicitly coded. Rhythmic structure is difficult to determine as well. The MIDI format is sensitive to the exact notes being played. For example, transposing the piece, i.e., adding a fixed pitch interval to all notes, changes every pitch in the music's MIDI data If a piece is transposed up a semitone (from C to 10 C-sharp, for example), every single pitch in the MIDI data changes. Even minor changes in the voicing of a chord have radically different representations in the MIDI data. For example, a C Major chord (C, E, G, C) could have pitches {60, 64, 79, 84}, or {67, 72, 76, 84}. The two voicings 15 sound almost identical and have similar functions, but share only one common pitch. This problem is solved by transforming the data into a figured bass format.

The figured bass format used by the system more

concisely states the harmonic content and rhythmic
information for an accompaniment. In figured bass format as
opposed to MIDI format, music is organized in terms of
chords and beats instead of individual transition events. A

WU 97/35299 PCT/US97/04636

typical figured bass corresponding to the first few chords of MIDI data listed above, follows.

	MEL	FUNC	IN	TP	AP	SP	DUR	ACC
5	C	I	IO	T1	A2	S0	2	un
10	CCG	I IV vi V	IO I1 IO I1	T0 T0 T2 T2	A0	S0 S2 s1 S0	_	acc un n un
15	E E D C	I iii V vi	I0 I1 I0 I0	T0 T2 T1 T1		S1 S0 S2 S1	2 1 1 2	ACC un n un
20	C C D E	IV - - vii07 I	I0 - I3 I1 I0	T0 - T0 T2 T2	A1 - A1 A0 A0	S2 - S2 S1 S1	1 1 1 2	ACC n un n un
	D	V	IO	TO	A1	S2	4	FERM

The first column, with the heading MEL, lists the

pitch played by the soprano, which is the melody note of the

piece. Next is the column headed FUNC, which is the chord

function or figure. The most common functions in a major

key in the work of Bach, for example, are listed in the

following function table, which is only a subset of the

total list of functions used by the system.

	Function	Chord Name	<u>Pitches</u>
5	I I7 ii V/V iii V/vi IV V V7 vi vii07	C Major C7 D minor D Major E minor E Major F Major G Major G7 A minor B diminished 7th	C, E, G C, E, G, B-flat D, F, A D, F-sharp, A E, G, B E, G-sharp, B F, A, C G, B, D G, B, D, F-sharp A, C, E
		7011	B, D, F, A-flat

The middle set of four columns, headed IN, TP, AP, and SP, indicate the positions, respectively, of the bass voice, or inversion; the tenor voice; the alto voice; and 15 the soprano voice. The positions are numbered from 0 to 3, wherein 0 indicates the first pitch listed in the function table above and 3 indicates the fourth pitch. For example, again using the function table above, in the key of C major, a V7 chord with positions I0 T1 A3 S0 would contain, in 20 order, the pitches G, B, F-sharp, and G. Use of this position notation provides the system with musical data that, while allowing easy reconstruction of the original pitches, is key-independent, because if a piece of music is transposed, its voice positions remain unchanged. 25

O 7/1/34277 PC1/US9//U4030

Best Available Copy

In addition, since figured bass reduces the number of possibilities from twelve pitches to four positions, the overall complexity of the set of musical data is reduced.

The next column, under the heading DUR, shows the

duration of the particular chord. Lastly, the column headed

ACC also indicates a timebase, by displaying the accent to

be placed upon the chord. Under the ACC column, the

following notations have the following meanings: "FERM",

standing for fermata or held chord, indicates the strongest

accent; "ACC" signals that the chord begins at the start of

an accented beat; "un" specifies that the chord begins on an

unaccented beat; and "n" means that the chord does not begin

at the start of a beat.

Fig. 3 shows converting a musical piece described in a MIDI file to the desired figured bass form. The system scans through the MIDI file and assembles all of the pieces together to determine which notes are being played by the voices, viz, bass, tenor, alto, soprano, and at which times (step 1000a). The system then extracts the key of the piece from the initial MIDI text event, an example of which is shown in the sample MIDI stream above (step 1000b). Standardizing to simplify later analysis and to ease comparisons of different pieces, the system transposes the

piece to the key of C Major, with all of the pitches changing appropriately (step 1000c). Next, beginning a new chord whenever a voice changes pitch, the system—segments the piece into chords (step 1000d).

5 Segmented into chords, the piece appears as follows.

	TIME 000	DUR	В	T	Α	S	
	004 006	2 {	C3	E4	G4	C5	}
10	006	2 {	C4	E4	G4	C5	}
	800	1 {	A 3	F4	A4	C5	- }
	009	1 {	A.3	E4	A4	C5	- }
	010	2 {	В3	D4	G4	G5	}

Representing one timestep, <u>i.e.</u>, one-eighth of a

15 note, and one chord, each line contains information about
when the chord was started, its duration, and which note is
being played in each voice. Next, determining the melody
pitch by taking the soprano note without the octave, the
system also determines the accent of each chord (step

20 1000e). The accent is based on the time a chord starts and
the time signature of the piece. For example, in 3:4 time,
the time signature for the sample listed above, a measure is
6 timesteps long because each timestep is one-eighth of a
note. Thus, accented beats occur every 6 timesteps and

25 unaccented beats occur every 2 timesteps, as indicated in

A3

E4

800

009

010

the table below, wherein n is an integer representing the measure number.

		<u>Time</u>		Acce	ent					
5		6n+0 6n+1 6n+2 6n+3 6n+4 6n+5		ACC n un n un n						
10	TIME	DUR	В	т		s		MEL	ACC	
	000	2 {	C3	E4	G4	C5	}	C	un	
15	006 006	2 {	C4 A3	E4 F4	G4 A4	C5 C5	}	C	ACC un	

C5

G5

C

un

Next, the system identifies a timestep with a particular known chord by attempting to match the 20 information at each timestep with a known chord, i.e., matching if all pitches being played could be part of that known chord (step 1000f). For example, using the table above and a list of 120 common chords sufficient to identify 99% of all chords occurring in Bach's music, the chord at 25 timestep=8 is identified as an F Major chord because all of its pitches are either F, A, or C. A chord unable to be identified as a known chord is marked as such, because such

A4

a chord is usually the product of a passing tone or other ornament and has no significant function in the piece.

Updated, the table then appears as follows.

5	TIME 000	DUR	B	T	A	S	MEL	ACC	RT	TYPE
	004 006	2 {	C3	E4	G4	C5 }	C	un	C	Major
10	006 008 009 010	2 1 1 2	C4 A3 A3 B3	E4 F4 E4 D4	G4 A4 A4 G4	C5 } C5 } G5 }	C C C G	ACC un n un	C F A G	Major Major Minor Major

Next, the system determines the position of each voice by comparing the pitch of each voice with the pitches allowed in the identified known chord (step 1000g). Thus, in the current example, the chord at timestep=8 has pitches {A, F, A, C}, which correspond to positions {II, T0, A1, A2}, resulting in the following determinations of voice positions.

TIME 20000	DUR	вт	A S	MEL ACC RT	TYPE IN	TP AP	SP
004 006	2 {	C3 E4	G4	C5 } C un	C Major	IO T1	A2 S0
006 008 25009 010	2 1 1 2	C4 E4 A3 F4 A3 E4 B3 D4	A4	C5	C Major F Major A Minor G Major	I1 T0 I0 T2	A2 S0 A1 S2 A0 S1 A0 S0

Now the system identifies a function associated with each chord, by comparing the root and type of each chord

WU 97/35299 I C 11037/104

with a table of common functions such as the Bach-related one described above. (step 1000h). When a chord is unable to be matched with any of the common functions, its function is marked as unknown, indicating that the chord may be the result of an ornament serving no harmonic function.

Finally, since not needed in the figured bass notation, information about absolute time and voice pitch is discarded, leaving the following as the output of the conversion from MIDI to figured bass (step 1000i).

1.0	MEL	FUNC	IN	TP	AP	SP	DUR	ACC
	C	I	ΙO	T1	A2	so	2	un
15	C C G	I IV Vi V			A1 A0	S2 S1	2 1 1 2	un

In addition to the chord-based conversion just

described, the system can use beat-based conversion. Beatbased conversion takes advantage of harmonic functions
usually changing only minimally between beats, not within a
single beat. Ornaments usually relate to only half of a
beat and the chords formed from them are less correlated

with the surrounding music than the chords relating to the
other half of the beat. The examples which include

information from ornament chords tend not to correlate well with other examples and thus produce only weak rules.

The beat-based conversion method is more complex than the chord-based method because beat-based conversion

5 examines each chord which is part of a beat and generates an example assuming that the chord was the significant chord for that beat. All examples for a timestep then have their weights normalized so that the total weight for each timestep is one. The segment of figured bass listed above would produce the following examples.

	%NAME	0	Weight
	%NAME	ı	Function1
	%NAME	2	Function0
	1.0	-	I
15	1.0	I	I
	0.5	I	IV
	0.5	I	vi
	0.5	IV	V
	0.5	vi	V

This is fairly straightforward when the examples are using only one previous beat of data. However, if an example set is built from the current beat and four previous beats, and each beat has two chords, i.e., an ornament chord and the real chord, then each beat results in a quantity of samples equal to 2 raised to the fifth power, i.e., 32 examples, each with weight 0.03125. Therefore, excepting example sets with only a small time window, a beat-based example set uses

WO 97/35299 PCT/US97/04636

a great deal more memory than a standard chord-based example set.

- Generation of example tables

Rules are generated based on examples that are

5 created from the figured bass data. Each example includes
the data necessary to agree or disagree with a potential
rule, including information about previous timesteps.
Examples in the table can also be weighted, so that they can
count for more or less than a normal example. As indicated

10 below in the following illustrative table, some examples
have double the weight of other examples. Each example
includes information about the melody and chord function
used at the current timestep and at the previous two
timesteps.

```
15
     %NAME
             0 -
                   WEIGHT
     %NAME
                   Duration0
             1
     *NAME
             2
                   Melody2
                   Melody1
     %NAME
             3
     %NAME
                   Melody0
             4
                   Function2
20
     %NAME
             5
     %NAME
             6
                   Function1
     %NAME
             7
                   Function0
     1.0
             1
                   C
                         С
                               C
                                          I
                                                IV
                         C
                               C
                                    Ι
                                          Ι
                                                vi
     1.0
             1
                   C
                         С
                                    Ι
                                          IV
25
     1.0
             2
                   C
                               G
```

	1.0	2 2	C	C G	G E	I IV	vi V	V I
	1.0	2	С	G	E	vi	V	I
	1.0	1	G	E	E	V	I	iii
5	1.0	1 .	—G	E	D	V	I	V
	1.0	2	E	E	С	I	iii	vi
	1.0	2	E	· D	С	I	V	vi
	0.5	1	E	С	С	iii	vi	IV
	0.5	1	D	С	С	V	vi	IV
10	0.5	1	С	С	D	vi	IV	vii07
	0.5	2	C	D	E	IV	vii0	7 I
	1.0	4	D	E	D	vii0	7 I	V

To generate examples from a figured bass, the system moves a window down the list of chords, copying only certain pieces of information at each timestep. For instance, working with the sample figured bass conversion output data above to generate an example table using fields Function0 and Function1, i.e., the chord functions at the current and previous timestep, respectively, the system would produce the following. Each line is an example containing the attributes Function1 and Function0.

	Function1	Function0
	-	I
	I	I
25	I	IV
	IV	vi
	vi	v

- Derivation of rules from example tables

WU 9//35299

Best Available Copy

While generating rules from examples, the system uses a J-measure defined as shown in Fig. 4.

The J-measure represents a balance of the amount of information a rule contains and the probability that the rule will be able to be used. Since a rule is less valuable if it contains little information, the J-measure is low when the rule's probability of being correct is low, i.e., when p(x|y) is about the same as p(x). A rule which fires only extremely rarely is of minimal use even if is extremely conclusive. For instance, a rule base containing many always-correct rules, each useful on only one example, tends to perform extremely well on a training set but dismally in general.

An important part of the present invention is the

generation technique that is used herein. The technique
includes sorting the examples before extracting the rules
therefrom. This has greatly improved the speed of the
technique, as described herein.

Rules are generated using preset parameters which can be modified by the user if necessary. To prevent generation of rules based on too few examples, the system uses a parameter N_{min} which denotes the minimum number of examples with which a rule should agree.

10

A list of examples E_1 , E_2 , ... E_{NEX} is used to generate the rules. The value of attribute i for example E_j is denoted $e_{i,i}$.

Each rule generated preferably has a minimum J-measure J_{min} and fires correctly a minimum fraction of the time p_{min} .

On the output or right-hand side of the rule, the rule that is generated inferences an attribute A_{RHS} taking integer values $a_{RHS,1}, \ a_{RHS,2} \dots \ a_{RHS,NRHSV}$, where NRHSV stands for the number of possible RHS values. Similarly, the attributes allowed on the input or left-hand side of the rule, $A_1, \ A_2, \ \dots \ A_{NLHS}$, take on $|A_i|$ integer values $a_{i,1}, \ a_{i,2} \dots \ a_{i,NLHSV}$.

The complexity of the system is reduced using a maximum rule order O_{max} , representing the maximum number of attributes allowed on the left-hand side.

The system uses an array NR of size NRHSV, as described herein.

The processing according to the present invention

20 uses substeps (Figs. 5-8) for each possible combination of

LHS attributes (steps 1020a-b). The system adds a hash

column H to the table, each element h, of which is

preferably a signed 32-bit integer corresponding to an

5

10

15

20

example E_i (step 1020c). Of course, more detailed calculations would require more bits. Using a combination of LHS attributes A_1 , A_2 , A_5 , for instance, h_i is determined as follows (steps 1020d-h).

 $h_i = e_{i,5} + |A_5| (e_{i,2} + |A_2| (e_{i,1})) \qquad (\text{step 1020g})$ When an attribute is unknown, h_i is set to -1 (step 1020h).

Next, the system adds a column X of indices to the table: $x_i = i$ (step 1020i). The table is quicksorted to group the lines of the table by hash value (step 1020j). Column X is actually what is sorted, because each entry in column X is only a two-byte integer. The index is only a 2-byte integer if fewer than 65535 examples are being classified. Otherwise, a 4-byte integer is preferably used. This saves on the amount of memory moved during the sort, which in turn saves time.

After sorting, the system then searches down the table to generate a preliminary rule for each hash value (steps 1020k-1). The elements of array NR, denoting all possible RHS values a_{RHS} , are used to indicate correspondence between RHS values a_{RHS} and hash values h. Array element NR[$a_{RHS,j}$] is incremented when the hash value h_j for the current line is the same as the hash value h for the previous line (steps 1020m-n). If the two hash values are

different, the system notes a preliminary rule relating to the previous hash value and then sets all element arrays NR to zero except for $NR[a_{RHS,j}]$ which is set to one.

The preliminary rules linking each hash value to one

or more a_{RHS} are subjected to a series of tests using the
parameters mentioned above (steps 10200-s). A preliminary
rule is rejected if the number of examples corresponding to
the hash value is less than N_{min} (step 1020r) or if the
particular a_{RHS} did not occur in more than p_{min} of the

examples corresponding to the hash value (step 1020q).
Finally, the system retains the rule only if its J-measure
is above a J-threshold (step 1020s).

Rules are stored in a rule array (step 1020t). The rule array has a certain size, so it can only hold a

15 predetermined number of rules. If the rule array overflows when a new rule is added (step 1020u), the system drops the rule with the lowest J-measure, which becomes the new J-threshold (step 1020v). After all examples in the table have been considered, the result is a rule base for the selected attribute.

The following is a simplified illustration further explaining the derivation of rules and using the example table and parameters listed below.

15

Best Available Copy

	Attrl	Attr2	Attr3
	A	A	В
	Α	В	C
5	С	В	С
	С	Α	В
	Α	В	С
	В	В	С
	C	С	Α
10	В	A	C

In this illustration, N_{min} is set to 2, which means that a rule which correctly predicts only one example is discarded. The attribute values are found by reading across each example, e.g., $e_{2.1}=A$, $e_{2.2}=B$, $e_{3.3}=C$. The minimum J-measure is 0.001 and the minimum fraction of the time a rule should be correct is $p_{min}=0.50$, i.e., a rule should be right half the time.

In this case, Attr3 is to be predicted using Attr1 and Attr2. In other words, A_{RHS} is Attr3, taking on values a_{RHS,1}=A, a_{RHS,2}=B, a_{RHS,3}=C, because, in this example, Attr1 and Attr2 also have the same possible values A,B,C. Since there are 3 possible values for each attribute, |Attr1| = |Attr2| = |Attr3| = 3. When dealing with the attribute values as numbers, the following are used: A=O, B=1, C=2. The maximum rule order O_{max} being 2, rules can appear in either of the following two forms.

First, the system produces hash values for the first-order rules which are of the following form.

5 If Attrl=(something) then Attr3=(something)

The first column in the table is an index identifying the particular example line.

- 1. A A B hash=0
- 2. A B C hash=0
- 10 3. C B C hash=2
 - 4. C A B hash=2
 - 5. A B C hash=0
 - 6. B B C hash=1
 - 7. C C A hash=2
- 15 8. B A C hash=1

Sorting the examples based on hash value produces the following list.

WU 9//35299

Best Available Copy

		_	_	1 1 0
7	Λ	Δ	R	hash=0
1.	\mathbf{A}	Α.		1100011

- 2. A B C hash=0
- 5. A B C hash=0
- 6. B B C hash=1
- 5 8. B A C hash=1
 - 3. C B C hash=2
 - 4. C A B hash=2
 - 7. C C A hash=2

The system will try to make a rule for the examples

10 with hash=0. This will provide the following possible
rules.

If Attr1=A then Attr3=B (correct 33% of the time)

If Attr1=A then Attr3=C (correct 67% of the time)

The first of the two rules is discarded because 33%, or 0.33 as a fraction, is less than 0.50, the minimum probability p_{min} allowed for a rule to be retained. Proceeding similarly for the hash values 1 and 2 provides the following retainable rules.

If Attrl=A then Attr3=C (correct 67% of the time)

If Attr1=B then Attr3=C (correct 100% of the time)

Next, generating the hash value based on Attr2 instead of Attr1 produces the following list.

- 1. A A B hash=0
- 5 4. C A B hash=0
 - 8. B A C hash=0
 - 2. A B C hash=1
 - 3. C B C hash=1
 - 5. A B C hash=1
- 10 6. B B C hash=1
 - 7. C C A hash=2

The following rules would be retained.

If Attr2=A then Attr3=B (correct 67% of the time)

If Attr2=B then Attr3=C (correct 100% of the time)

On the other hand, the following rule is correct sufficiently often but still needs to be discarded because it has only one supporting example, #7, and thus fails to satisfy the N_{min} threshold.

M() A (1/2071) A (21/2071) A

Best Available Copy

If Attr2=C then Attr3=A (correct 100% of the time)

The retained rule list now appears as follows.

- If Attr1=A then Attr3=C (correct 67% of the time)
- If Attr1=B then Attr3=C (correct 100% of the time)
- 5 If Attr2=A then Attr3=B (correct 67% of the time)
 - If Attr2=B then Attr3=C (correct 100% of the time)

Next are the rules which use both Attr1 and Attr2. In this case, since Attr2 has 3 possible values, the hash value for an example is calculated by the following equation, producing the table below.

hash = 3*(Attr1's value) + (Attr2's value)

- 1. A A B hash= 3*0+0 = 0
- 2. A B C hash= 3*0+1 = 1
- 5. A B C hash= 3*0+1 = 1
- 15 8. B A C hash= 3*1+0 = 3

10

- 6. B B C hash= 3*1+1 = 4
- 4. C A B hash= 3*2+0 = 6
- 3. C B C hash= 3*2+1 = 7

7. C C A hash= 3*2+2=8

The only rule that is retained from this hash array using the criteria is the following, because no other hash value corresponds to a sufficient number of examples.

5 If Attrl=A and Attr2=B then Attr3=C (correct 100% of the time)

The resulting fully updated rule base appears as follows.

If Attr1=A then Attr3=C (correct 67% of the time)

If Attr1=B then Attr3=C (correct 100% of the time)

If Attr2=A then Attr3=B (correct 67% of the time)

If Attr2=B then Attr3=C (correct 100% of the time)

If Attr1=A and Attr2=B then Attr3=C (correct 100% of the time)

This procedure result in a rulebase. Computationally, this algorithm is very appealing because of its simplicity. Each set of LHS values is considered only once. At the time of consideration, all examples with that LHS are

WO 97/35299

Best Available Copy

5

10

15

20

consecutive, so it is not necessary to search through the entire example set to determine the number of examples with which a potential rule agrees. Memory consumption is also reasonable, scaling linearly with the number of examples.

- Filtering and segmentation of rules

The rule bases are preferably filtered and/ or segmented to form multiple more efficient rule bases. When it is known that a certain attribute is crucial to determining the RHS value for the rule base, filtering is used to force all rules contained therein to use that attribute. For example, the system has been used to filter out rules which disregard the current melody note in determining the current chord function.

Segmentation is done when filtering a rulebase would reduce the domain which the rulebase covers. As in filtering, rules are grouped based on the presence or absence of an attribute on their LHS. However, the rules lacking the desired attribute are placed in a second rulebase, rather than being removed. When a series of segmented rulebases is used to inference a result, the rulebase with the desired attribute is tried first. If no rules in that rulebase can fire, the rulebase lacking the

5

20

desired attribute is tested. This gives the benefits of filtering since rules with the desired attribute are not overwhelmed by rules lacking the attribute. However, unlike filtering, this technique does not involve a loss of domain size, since the less desirable rules are not deleted, just prevented from firing unless there is no alternative).

- Subsumption pruning of rules

After being filtered or segmented, a rule base might still contain many rules that contribute nothing, or contribute so little that they are not worth keeping. Subsumption pruning removes such unneeded rules using the technique described herein.

At step 500, rules are reviewed to determine whether

15 two rules A and B predict the same RHS attribute and value.

If so, rule B is removed from the rule base if

- (1) the left-hand side of rule B has more attributes than the left-hand side of rule A,
- (2) every attribute on the left-hand side of rule A is present and has the same value on the left-hand side of rule B, and
- (3) rule A is correct at least as often as rule B.

PC1/US97/04636

Best Available Copy

5

20

Since rule B adds no new information in this case, the system becomes more efficient by removing such a rule.

Subsumption pruning should be done after any filtering and segmentation. If rule A in the previous example were filtered out, then, in retrospect, rule B should not have been removed: we have lost information.

- Generation of dependence data

For the rule-based system to work properly, all rules which are allowed to fire should be independent of each other. Otherwise, one good rule could be overwhelmed by the combined weight of twenty mediocre but virtually identical rules. To prevent this problem, each rule base is analyzed to determine which rules are dependent with other rules in the same rule base. Two rules are considered dependent if both rules fire in more than half of the examples that cause at least one of them to fire.

To allow real-time independence pruning, the system maintains for each rule a list of dependent rules with lower J-measures. Independence pruning should be done in real-time, because removing all dependent rules at the time of rule base creation degrades its quality. For instance, if a

rule base contains only the following two rules which are dependent and the value for A_1 is currently unknown, the system cannot inference a value for A at all without the second rule.

IF $A_1 = a_{1,2}$ THEN $A_{RHS} = a_{RHS,3}$ with J-measure 0.013 5 IF $A_2 = a_{2,5}$ THEN $A_{RHS} = a_{RHS,3}$ with J-measure 0.009 Given a group of dependent rules, real-time

independence pruning prevents the firing of all but the rule with the highest J-measure. The system uses an array F with all values f initially set to zero, indicating at first that 10 all rules are allowed to fire. When a rule R_i fires while the system is checking rules in order of decreasing Jmeasure, the system adds the weight of rule $R_{\rm i}$ to the overall weight of the RHS value and then sets to non-zero the values f_{i} for all rules R_{i} dependent with rule R_{i} .

More specifically, the operation proceeds as follows.

15

- Consider two rules RA and RB which predict the same RHS 1. and value.
- Let A be the set of examples for which rule RA fires. 20 2.
 - Let B be the set of examples for which rule RB fires. 3.

W (1) 1133233

0.013

15

20

PCT/US97/04636

Best Available Copy

- 4. Define the overlap OAB as the number of examples for which both RA and RB fire, divided by the number of examples for which either RA or RB fires.
- 5. If OAB > 0.5, the rules are dependent.
- 5 Each rule is associated with a list of lower

 J-measure rules which are dependent with the rule. This

 list is used in real time independence pruning as described herein.

It would seem at first that it would be easiest to

remove all dependent rules at the time a rulebase is

created. However, this actually degrades the quality of the
rulebase. As an example, assume a rulebase containing only
the following two rules, and assume the rules are dependent:

IF A1 = a1,2 THEN ARHS = aRHS,3 with J-measure

IF A2 = a2,5 THEN ARHS = aRHS,3 with J-measure
0.009

Now assume we are trying to inference ARHS and that the value of Al is currently unknown. Only the second rule would be able to fire. However, if we removed the second rule at the time of rulebase creation, no rules would be able to fire and we would not be able to inference a value

for A. We can avoid this problem by only independence pruning those rules which can fire for a given LHS.

- Rulebase interaction

An important part of musical composition is the

5 ability to reinforce good sounds, and prevent bad sounds.

Interaction buttons 60 facilitate this operation. The

interaction buttons allow the contents of the rulebase to be

modified based on whether the user likes or does not like a

certain thing that the computer has done.

10 For example, if the computer makes a chord which is not pleasing the user's ear, it indicates that the rules governing that chord are not desirable. The user can press the "bad computer" button, which then adjusts the weight and/or the J-measure for that rule governing the last chord that was produced. That makes it less likely that the rule will be used subsequently. The opposite is also true - a particularly good sound can be made more likely to recur by initiating the "good computer" button.

The system operates by firing rules which have

certain weights. The weights are initially assigned by the
learning algorithm, based on how well the rules perform

(rules which are able to fire frequently or which are right
more of the time are given higher weights).

WU > 1/03/1/7

Best Available Copy

5

In addition to input through the MIDI keyboard, the user is also given access to two buttons. These buttons are labelled "good computer" and "bad computer", and are pressed when the user either likes or dislikes what the system is doing.

At any point, the user can press one of the buttons. These buttons affect the weights of the rules which fired to produce the notes generated by the system immediately preceding the button press.

When the "good computer" button is pressed, all the rules which predicted (voted for) the system's actual output have their weights increased. The weights can either be increased by a fixed value (for example, each rule which fired might have its weight increased by 0.01), or they can be increased by a fixed fraction (for example, each rule which fired might have its weight multiplied by 1.01).

Similarly, the "bad computer" button decreases the weights of all rules which contributed to the output which the user did not like.

20 For example, assume for a given timestep the following rules fire:

- 1. If A then B (weight 0.50)
- 2. If A then C (weight 0.40)

And let's say that the system picked B as the output of the system.

If the user hit the "good computer" button, we would increase the weight for rule 1 (say, to 0.51), since the user liked what that rule predicted.

If the user hit the "bad computer" button, we would decrease the weight for rule 1 (say, to 0.49), so that the system is less likely in the future to do what the user didn't like.

Subsumption pruning takes place during rule 10 generation, which is when the system applies a series of rule bases to a melody to fill in a figured bass (Fig. 9). When a rule base is used to infer a RHS value during rule generation, each rule in the rule base is checked in order of decreasing J-measure (step 1060a). If a rule's 15 dependence value f is zero and all of the attributes on its left-hand side are known, the rule can fire, adding its weight to the weight of the RHS value which it predicts. After all rules have had a chance to fire, the result is an array of weights for all possible values of the RHS 20 attribute. The weights of all rules inferencing a particular RHS value are accumulated to produce the weight of that RHS value (step 1060b).

10

Best Available Copy

Resolving conflicts is necessary when two or more rules fire and inference a number of different RHS values (step 1060c). After exponentiating and normalizing the accumulated weights for the different RHS values to produce probabilities for each value, the system chooses one of these values at random. The system does not have to choose the answer probabilistically. If it does, it chooses the answer randomly, based on the probabilities generated by exponentiating the weights for the possible RHS values. However, we could also simply choose the most likely answer.

- Summation of Rule Weights

When a rulebase is used to infer a RHS value, each rule in the rulebase is checked in order of decreasing rule

15 J-measure. A rule can fire if it has not been marked dependent (see the next section on independence pruning) and all the attributes on its LHS are known. When a rule fires, its weight is added to the weight of the RHS value which it predicts. After all rules have had a chance to fire, the result is an array of weights for all possible values of the RHS attribute.

- Independence Pruning in Real Time

As explained in the section above on generation of dependence data, all rules which fire for a given LHS should be independent. However, the inventors realized that rulebases cannot be pruned ahead of time to remove rules without losing information.

The inventor's solution to this dilemma is to keep track of which rules are dependent on other rules, and only allow rules which are still independent to fire. This technique is described below.

- Start by allocating and zeroing an array F, where fi is zero if rule R_i is allowed to fire. Then for each rule R_i in order of decreasing J-measure,
 - 1. If f_i is non-zero, the rule is not allowed to fire. Skip to the next rule.
- 2. If the rule can't fire, one of the attributes on the LHS of the rule is either unknown in the input data or does not have the right value to match the input data, skip to the next rule.?????
- 3. The rule can fire. Add its weight to the weight for 20 the RHS value it predicts.
 - 4. For each rule Rj in the list of rules dependent with $R_{\rm i}$, set the corresponding fj non-zero.

ママ い フ ノ/ココムフフ

5

PCT/US97/04636

Best Available Copy

This technique is very fast, since it requires only array lookups and does no complex calculations. In fact, it is faster than using the same rulebase without dependency information, since if a rule is forbidden from firing the program does not spend time determining if the rule is allowed to fire. (With no dependency information, all rules are checked to see if they can fire.)

4.3 Resolution of Conflicts Between Rules Which Fire

If all rules which fire on a given example inference

the same RHS value, the result of the inference is clear.

But if two or more rules fire and inference a number of different RHS values, one of two algorithms must be used to resolve the conflict. In either case, the weights of all rules inferencing a given RHS are accumulated to produce the weight of that RHS.

The simpler algorithm is termed "best-only." The RHS with the highest weight is always chosen. This is the most correct method from the standpoint of probability theory. However, the inventors realized that this tends to lead to monotonous music, since a given melody will always be harmonized in the exact same fashion.

This problem led to the development of a second algorithm.

The other option is to randomly select between the possible RHS values. The accumulated weights for the RHS values are exponentiated and normalized to produce probabilities for each value. The RHS value to be used is chosen randomly based on these probabilities. It is important to note that the algorithm only chooses between values which had rules fire, not all possible values for the RHS attribute. Otherwise, there would always be a non-zero probability of picking any RHS value, even if no rules fired for that value.

- 4.4 What If No Rules Fire?

If no rules for a given rulebase fire, there are two
possibilities. If it is not the last part of a series of
segmented rulebases, the next segmented rulebase will be
given a chance to fire. If the rulebase is the last in the
series, or is not part of a series of segmented rulebases,
the RHS value is set to the most likely value of the RHS
attribute based on the attribute's prior probability
distribution. This is equivalent to classifying the RHS
attribute with a zeroth-order Bayesian classifier.

This problem can be avoided by training a first-order Bayesian classifier and using it as the last segment in a series of rulebases for a given RHS attribute. (For example, basing the current chord function only on the current melody pitch and setting both the minimum probability for a rule and the minimum rule J-measure to zero.) Since the first-order classifier will always have exactly one rule which fires, more information will be used to pick the RHS value than if no rules fired at all.

- Conversion to MIDI

10

15

20

The output of harmonization is either saved in a MIDI file or played on a MIDI synthesizer, so conversion from figured bass back to MIDI is necessary (Fig. 10). MIDI data is produced for each timestep as follows. First, using the table of common functions and the voice position fields, the system determines for the chord which voices should play which pitches (step 1070a). Starting just below the melody note, which is known because it was used as the input to harmonization, the system then searches, once for each remaining voice, for an unplayed note matching that voice's pitch (step 1070b). Lastly, using MIDI code, the system indicates the notes found (step 1070c), the delays equal to

each note's duration (step 1070d), and corresponding note terminations (step 1070e).

Given the timestep below, for example, the system uses the table of common functions to determine that the "iii" chord has the pitches {E, G, B}. Based on the positions {I2, T1, A1, S0} with the soprano pitch agreeing with the melody field, the voices play pitches {B, G, G, E}, respectively. If the melody note were at octave 5, the MIDI conversion would turn on the notes {E5, G4, G3, B2}. In either case, the system would encode a delay and a termination corresponding to a duration of one-eighth note.

MEL FUNC IN TP AP SP DUR ACC

- Rulebases and Results

5

10

In the following discussion of the development of sets of rulebases, results from these sets of rule bases are analyzed and contrasted with each other. When rulebases are printed in a table, the columns have the following meanings.

10

15

Best Available Copy

WU ソルンコムソソ PC1/US97/U4656

RHS Attribute	LHS Attributes	Max Order	Number of Rules	Notes
The attribute present on the RHS of the rule base.	Attributes present on the LHS of the rule base. Rules must contain any attributes in bold, and may contain the other attributes.	The maximum number of terms allowed on the LHS of a rule.	The number of rules in the rule base.	Signi- ficant features of the rule base.

Unless otherwise noted, all rules should be correct at least 50% of the times they fire and should have a Jmeasure of at least 0.001. The rules discussed below were trained from an example set of 15 Bach harmonized chorales, which produced 818 examples by beat-based conversion and 834 examples by chord-based conversion.

The first attempt at generating harmony rules used no rule base segmentation, filtering, or pruning. resulting rule base, called Simple1, was trained from examples using beat-based conversion.

RHS Attribute	LHS Attributes	Max Order	Number of Rules	Notes
Function0	Function1, Melody1, Melody0	3	105	

This initial rule base had a number of limitations.

Of its 105 rules, 33 do not use the current melody note or the previous function, which lead to unresolved dissonances in the harmony. For example, if the current melody note was F-sharp and the previous function was a V7 chord, the following rule led the rule base to play a C Major chord.

10 12. IF Function1 V7 THEN Function0 I: 0.566 0.343 0.030

The C Major chord sounds very dissonant against the F-sharp in the melody.

To correct the problems in the first rule base Simple1, all rules which did not use both the current function and previous melody note were filtered out, producing a new rule base Simple2.

RHS Attribute	LHS Attributes	Max Order	Number of Rules	Notes
Function0	Function1, Melody1, Melody0	3	72	

However, this smaller rule base frequently failed to fire on its input. This led to the following harmonization of the first phrase of "Hark, the Herald Angels Sing:"

Melody	Chord	Rules Fired
G4	I	0
C5	I	0
C5	I	0
B4	I	0
C5	I	0
E5	I	2
E5	I	2
D5	V	2
	G4 C5 C5 B4 C5 E5	C5 I C5 I E5 I E5 I

Too much information had been lost, so no rules were fired for over half the timesteps, producing an extremely dull harmony. The smaller rule base sounded worse, because dissonances were created when no rules fired and the C-Major chord picked by the Bayes classifier of order zero was played against notes such as F and B.

The solution to the problems that the inventors

recognized with respect to the first two rule bases lay in segmenting the learned harmony rules into three rule bases, together called Major4 and listed in the table below. These rule bases were the first to be used in real time to accompany a musician. The musician played only the melody

10

15

note and the program responded with the other three voices a fraction of a second later.

The first rule base contained the best rules, used in the Simple2 set. If no rules from that set fired, the second rule base tried to fire rules which used at least the current melody note. As mentioned above with respect to segmentation, this method allowed the better rules a chance to fire without being overwhelmed by rules using less significant information, while preserving all of the information contained in the full rule base.

If no rules fired in any of the three initial rule bases, which happened about 25% of the time, a first-order Bayesian classifier would determine the current function based on the current melody note. This ensured that the chord played would be at least consonant with the melody note.

These rules worked well enough that additional rule bases were generated to determine the positions of the bass, alto, and tenor voices so that the harmonized melody could be converted back into MIDI data and played, as described above. Bayesian classifiers were not needed in addition to these rule bases, because (1) the generated rules spanned a much larger portion of the input space, <u>i.e.</u>, only rarely

did no rule fire, and (2) because an error in a single voice position is much less noticeable than a bad chord function.

	RHS Attribute	LHS Attributes	Max Order	Number of Rules	Notes
	Function0	Function1, Melody1, Melody0	3	172	First of four rule bases used to predict harmony.
	Function0	Melody1, Melody0	3	34	
	Function0	Function1, Melody1	3	37	
	Function0	Melody0	1	8	First- order Bayesian classi- fier.
)	Inver- sion0	Function1, Inver- sion1, Function0	3	145	
	Alto0	Function1, Alto1, Function0, Inver- sion0	3	472	
	Tenor0	Tenor1, Function0, Inver- sion0, Alto0	3	341	

5

Some of the significant rules in these rule bases included the following.

The first rule is from the first FunctionO rule base.

5 1. IF Melody0 E THEN Function0 I 0.83 0.89 0.0601
AND Function1 V

This transition, from G Major to C Major, is the strongest cadence or ending in classical harmony.

3. IF Melody0 F THEN Function0 IV 0.98 3.12 0.0499 10 AND Function1 V

This is another common transition, from G Major to F Major.

The following rule is from the Inversion0 rule base.

1. IF Function1 V THEN Inversion0 II 0.98 1.59 0.0255 15 AND Function0 IV

Combined with rule 3 above, this rule places the function V to function IV transition in first inversion.

- 3. IF Function1 V THEN Inversion0 IO 0.86 0.20 0.0179
 AND Function0 I
- 20 Combined with rule 1 above, this places the function V to function I cadence in root position, which is the strongest position for an ending chord.
- 26. IF Function0 vii07 THEN Inversion0 I1 0.53 0.17 0.0098

 This rule places diminished 7th chords in first

 25 inversion, where they are placed in classical harmony. This

rule has a lower J-measure than the other rules because diminished 7th chords do not appear very often, which creates a low value for p(y).

With the "best-only" method turned off as described above, the system was able to produce different harmonies 5 for a given melody by randomly choosing among possible RHS values. For example, the melody C-A-B-G-D-C could be harmonized as follows.

```
IO AO T2 C5 : I { C3 G3 C4 C5 }
   C Major
               IO A2 TO A5 : V/V { D3 D4 A4 A5 }
   D Major
10
               IO A1 T2 B5 : V
                                 { G3 D4 B4 B5 }
   G Major
               I1 A2 TO G5 : V { B3 G4 D5 G5 }
   G Major
               IO A1 T2 D5 : V { G3 D4 B4 D5 }
    G Major
                                  { C4 G4 C5 E5 }
               IO AO T2 E5 : I
    C Major
```

Alternatively, the melody could be harmonized as shown 15 below.

```
IO AO T2 C5 : I { C3 G3 C4 C5 }
   C Major
               IO A2 TO A5 : V/V
                                  { D3 D4 A4 A5 }
   D Major
               IO A3 T3 B5 : V7
                                  { G3 F4 F5 B5 }
   G V7
               IO AO T1 G5 : I { C4 E4 C5 G5 }
    C Major
20
```

5

20

The two harmonizations are quite different: in the six-note melody above, there are three places where the program has a choice between two functions for a given chord.

Another piece harmonized by these rule bases, the first phrase of "Hark! the Herald Angels Sing" shown in Fig. 11, has a generally high-quality sound - there are no unresolved dissonances. However, the voice-leading in the piece is poor in places. The third chord, a C Major chord, has notes {C, C, C, G}. The third note of the chord, E, is absent, leading to a hollow sound. This problem was addressed in the next set of rule bases, called Major4a and discussed below.

In an attempt to correct the voice leading problems of the Major4 rule base, a rule base which determined the soprano voice position was added to the set of rule bases. Since the current function and melody pitch uniquely determine the soprano voice position, the generated rule base covered the entire input domain and was always correct.

The soprano voice position was added to the possible LHS attributes for the rule bases for the other voice positions. This permitted rules for the tenor which would allow the tenor to fill in a missing chord pitch. The tenor rules were no longer forced to include the chord position. The addition of the soprano voice allows rules such as the following.

	2.	IF	Soprano0	S1	THEN	Tenor0	T2	:	0.888	1.024	0.132
10		AND AND	Alto0 Inversion0	A0 I0							
	6.	IF	Soprano0	so	THEN	Tenor0	Tl	:	0.901	1.239	0.079
15		AND AND	Alto0 Inversion0	A2 I0		:					
	13.	IF	Soprano0	S2	THEN	Tenor0	T 3	:	0.634	1.326	0.070
20		AND AND AND	Alto0 Inversion0 Tenor1	A1 10 T0							

These rules show the tenor rule base filling in chord pitches which are not present in the other rule bases. The very high accuracy of the first two rules (88.8% and 90.1%) indicates that it is important to fill out a chord's pitches.

The number of rules is then reduced by subsumption pruning of the rulebases, resulting in the Major4a set shown in the table below. This pruning removed from 5% to 30% of

the rules from any given rule base without affecting its classification accuracy or input domain.

	RHS Attribute	LHS Attributes	Max Order	Number of Rules	Notes
	Function0	Function1, Melody1, Melody0	3	124	
5	Function0	Melody1, Melody0	3	32	
	Function0	Function1, Melody1	3	26	
	Function0	Melody0	1	8	First-order Bayesian classifier.
	Soprano	Melody0, Function0	2	60	Direct equivalence between LHS and RHS.
	Inversion0	Function1, Inversion1, Function0, Soprano0	4	133	
0	Alto0	Function1, Alto1, Function0, Inversion0, Soprano0	4	309	
	Tenor0	Tenor1, Function0, Inversion0, Alto0, Soprano0	4	434	

Fig. 12 shows the harmony for "Hark! The Herald Angels Sing" generated by the new rules. The third chord, which used the voice arrangement {C,C,C,G} under Major4, uses {C,G,E,G} under Major4a and contains all three pitches present in the C Major chord. Furthermore, the new rules

10

15

doubled the G note, as is proper for a chord present in second inversion.

Despite the progress in voice-leading, the Major4a rules still had limitations. For instance, the rules referred back in time only to the previous chord, and did not use information about the accent on the current chord. This meant that the rule base could not predict when a piece of music was ending, and thus often fumbled the final cadence. An example of this problem is shown in Fig. 13 in the harmony produced for "Happy Birthday." The harmony ends on a "vi" or "A Minor" chord, which, being a minor chord, lends a sad feel to the end of the piece. This is not an appropriate way to end a piece written in a major key.

The Major7a set of rule bases, listed below, was

allowed to use more information about the accents of current
and previous chords. "FunctionLA" stands for the function
of the last chord which started on an accented beat.

"FunctionLB" and "InversionLB" represent the function and
inversion, respectively, of the last chord which started at
the beginning of any beat. "Accento" means the accent on
the current chord. "Function1" still stands for the
function of the immediately preceding chord.

5

With the Bach chorales used as input, either

FunctionAB or FunctionLB did not match a common function 14%

of the time. The method could not find a match for

Function1 in 25% of the examples. Since unmatched functions

typically indicate that an ornament is present, this result

confirms that ornaments occur more frequently in the middle

of beats.

Rules were required to be correct at least 30% of the time they fired, which was lower than the 50% required by previous sets of rule bases. However, the largest prior probability for Function0 was 24%, so a rule which was correct 30% of the time still provided useful information. All rule bases were also subsumption pruned.

RHS Attribute	LHS Attributes	Max Order	Number of Rules	Notes
Function0	FunctionLA, FunctionLB, Function1, Melody1, Accent0, Melody0	5	175	First of four segments of Function0 rules.
Function0	(FunctionLA and/or FunctionLB), Melodyl, Accent0, Melody0	5	282	·
Function0	Melody1, Accent0, Melody0	5	83	
Function0	FunctionLA, FunctionLB, Function1, Melody1, Accent0	5	361	
Soprano0	Function0, Melody0	2	60	Direct equivalence between LHS and RHS.
Inversion0	FunctionLB, Function1, Inversion1, Function0, Soprano0	5	332	First of two segments of Inversion0 rules.
Inversion0	FunctionLB, Function1, Inversion1, Soprano0	5	287	
AltoO	Function1, Alto1, Function0, Inversion0, Soprano0	5	820	
Tenor0	Tenor1, Function0, Inversion0, Alto0, Soprano0	5	815	·

5

Rules had more possible LHS attributes and higher order rules were permitted, so enough rules were generated that at least one rule would fire for each desired RHS attribute in almost all cases. Therefore, a Bayesian classifier was not needed as a safety net for determining the chord function.

The script for determining the major7 follows. Lines which start with ; are comments.

- Read examples from the example list; load exlist major7 from major7.el
 - Set defaults

5

15

- ; At most 5 clauses on "IF" side of a rule default rule order 5
- 20 ; Unless otherwise specified, learn using the "major7" ; example list we just read in default exlist major7
- ; Learn up to 2048 rules at a time 25 default maxrules 2048
 - ; Rules must be right at least 30% of the time default mincorrect 0.3
- 30 ; Rules must have a J-measure >= 0.001
 default minpriority 0.001

```
save attr7 to attr7.att
           Learn rules for Harmony0
5
    learn harm7_2 {
      ; These attributes CAN appear on the left-hand side
      lhs Melody0
      lhs Melodyl
10
      lhs Function1
      lhs FunctionLB
      lhs FunctionLA
      lhs Accent0
      ; This is what we want to predict
15
      rhs Function0
            Now we want to segment the harmony rules into 3
20
    different
            sets, based on what attributes they contain.
25
            Ruleset #3 - doesn't use current melody
            Copy the full set of rules
30
     copy rulebase harm7_3 from harm7_2
            Remove any rules which use Melody0
     filter harm7_3 never Melody0
            Do subsumption pruning
    prune harm7 3
35
             Save the rulebase
     save harm7_3 to harm7_3.rul
             And free up its memory
     free harm7 3
 40
             Rulesets #1,2 - use current melody and last
     functions
             Now remove all the rules which ended up in harm7_3
     filter harm7_2 always Melody0
```

17 **17** 7 1133477

```
And resize the rulebase (this frees up the memory
    which
           was used by the rules we just filtered out)
    resize harm7_2
5
            Ruleset #1 - use either Function1, FunctionLB, or
    FunctionLA
10
            In order to handle the "OR" in the statement above,
    we need
           to make three sub-rulebases - each contains rules
    which use
15
           one of the Function attributes.
    copy rulebase h71a from harm7 2
    filter h71a always Function1
    prune h71a
    resize h71a
20
    copy rulebase h71b from harm7 2
    filter h71b always FunctionLB
    prune h71b
    resize h71b
    copy rulebase h71c from harm7_2
    filter h71c always FunctionLA
25
    prune h71c
    resize h71c
           Now we combine the three sub-rulebases into one big
30
    rulebase.
    combine h71a and h71b into h71d
    free h71a
    free h71b
    combine h71c and h71d into harm7 1
    free h71c
35
    free h71d
            Once they're combined, we can subsumption-prune the
    result.
    prune harm7_1
40
    save harm7 1 to harm7 1.rul
    free harm7 1
            Ruleset #2 - doesn't use any functions
    filter harm7 2 never Function1
```

```
filter harm7 2 never FunctionLB
   filter harm7 2 never FunctionLA
   prune harm7_2
   save harm7 2 to harm7 2.rul
   free harm7 2
    Learn rules for Soprano0 (should do perfectly -
10
          a 1:1 mapping between Function0+Melody0 and
    Soprano0)
    learn sopr7_1 {
      ruleorder 2
15
      mincorrect 0.2
      minpriority 0.000001
      lhs Melody0
      lhs Function0
20
      rhs Soprano0
    filter sopr7_1 always Melody0 filter sopr7_1 always Function0
    save sopr7 1 to sopr7_1.rul
25
    free sopr7_1
    Learn rules for Inversion0
30
    learn invr7 2 {
      lhs Function0
      lhs Soprano0
      lhs Inversion1
      lhs Function1
35
      lhs InversionLB
      lhs FunctionLB
      lhs Accent0
      rhs Inversion0
40
           Ruleset #1 - use current function
     copy rulebase invr7_1 from invr7_2
     filter invr7_1 always Function0
     prune invr7 1
 45
```

```
save invr7 1 to invr7 1.rul
    free invr7 1
          Ruleset #2 - don't use current function
5 filter invr7_2 never Function0 prune invr7_2 save invr7_2 to invr7_2.rul
    free invr7 2
  10
    =====
          Learn rules for Alto0
    learn alto7_1 {
     lhs Function0
     lhs Soprano0
     lhs Inversion0
     lhs Function1
    lhs Alto1
     lhs Accent0
20
     rhs Alto0
    prune alto7_1
    save alto7_1 to alto7_1.rul
25
    free alto7 1
    Learn rules for Tenor0
30
    learn tenr7 1 {
      lhs Function0
      lhs Soprano0
      lhs Alto0
      lhs Inversion0
35
      lhs Function1
      lhs Tenor1
      rhs Tenor0
   prune tenr7_1 save tenr7_1 to tenr7_1.rul
40
    free tenr7 1
           We're done with this section of the learning, so
45
  exit this script.
```

end

This Major7a set of rule bases produces the harmony for "Happy Birthday" shown in Fig. 14. Unlike Major4a, Major7a directs that the piece should end on a "I" or C Major chord, which is a more solid ending for a piece in a major key.

The Major7b set of rule bases, shown in the table below, is identical to the Major7a set except for the addition of dependency data for real time independence pruning. The number of dependent rule pairs for each rule base is shown in the table.

		r		
RHS Attribute	LHS Attributes	Number of Rules	Number of Dependent Rules	Average Pairs Per Rule
Function0	FunctionLA, FunctionLB, Function1, Melody1, Accent0, Melody0	175	175	1.0
Function0	(FunctionLA and/or FunctionLB), Melodyl, Accent0, Melody0	282	· 249	0.9
Function0	Melody1, Accent0, Melody0	83	32	0.4
Function0	FunctionLA, FunctionLB, Function1, Melody1, Accent0	361	553	1.5

15

10

Soprano0	Function0, Melody0	60	0	0.0
Inversion0	FunctionLB, Function1, Inversion1, Function0, Soprano0	332	694	2.1
Inversion0	FunctionLB, Function1, Inversion1, Soprano0	287	597	2.1
Alto0	Function1, Alto1, Function0, Inversion0, Soprano0	820	1992	2.4
Tenor0	Tenor1, Function0, Inversion0, Alto0, Soprano0	815	2868	3.5

The position-oriented rule bases, which have more LHS attributes which take only a few values, end up with higher numbers of dependent rule pairs. This leads to situations such as the following. If the Tenoro rule base contains the rule

IF Soprano0 = S2 THEN Tenor0 = T1

5

10

then the TenorO rule base is likely to contain one or more of the following rules

IF Soprano0 = S2 THEN Tenor0 = T1

15 AND Tenor1 = T0

WU 97/35299

10

15

20

```
IF Soprano0 = S2
                      THEN Tenor0 = T1
AND Tenor1 = T1
IF Soprano0 = S2
AND Tenor1 = T2
                      THEN Tenor0 = T1
                      THEN Tenor0 = Tì
IF Soprano0 = S2
AND Tenor1 = T3
```

because a subset of examples with a specified value for Tenor1 has a sufficiently large number of samples to force up the J-measure for rules with that Tenor1 value on the LHS.

The addition of real time independence pruning speeds up harmonization because fewer rules in each rule base need to be checked to see if they can fire. However, the harmony generated by the newer rule bases does not differ significantly from that of the Major7a rule bases.

.The following script is used:

```
; MAJOR7B.INP - generates dependence info for major7 rules
; We did this as a separate script so I could look at the
intermediate
; steps - there's no reason we couldn't do it in the same
script that
; we learned the rules in.
```

25 ; Load our examples and attributes. load exlist m7 from major7.el copy attrbase a7 from m7 default attrbase a7 30

> ; Now we load in each rulebase and generate its dependency information.

```
; Load the rulebase
     load rulebase r from r\harm7_1.rul
     ; Generate its dependency in\overline{f}ormation
     gendep r with m7 0.5
     ; And save it
     save r to harm7_1b.rul
     ; Then free up the memory it was using.
 10
     free r
     load rulebase r from r\harm7_2.rul
     gendep r with m7 0.5
     save r to harm7_2b.rul
15
     free r
     load rulebase r from r\harm7_3.rul
     gendep r with m7 0.5
     save r to harm7_3b.rul
20
     free r
     load rulebase r from r\harm7_4.rul
     gendep r with m7 0.5
     save r to harm7_4b.rul
25
     free r
     load rulebase r from r\invr7_1.rul
     gendep r with m7 0.5
    save r to invr7_1b.rul
30
    free r
    load rulebase r from r\invr7_2.rul
     gendep r with m7 0.5
   save r to invr7_2b.rul
35
    free r
    load rulebase r from r\alto7_1.rul
    gendep r with m7 0.5
    save r to alto7_1b.rul
    free r
40
    load rulebase r from r\tenr7_1.rul
    gendep r with m7 0.5
    save r to tenr7_1b.rul
45
    free r
```

end

15

- File Format

The following describes a specification of a preferred data file format for transmitting information about examples and rules among different applications. format allows for expansion of the specification while still permitting older applications to read newer and expanded data files. Any application which implements the required portions of the specification is able to read and use those 10 portions of any data file written using any version of the specification.

The preferred file extension is ".IPR," which stands for Itrule Portable Rule ("IPR") file.

An IPR file includes ASCII text. The first ten characters of an IPR file should be "#IPRSTART#" which permits application readers to detect and reject easily files which are not IPR files. The file terminates with the text string "#IPREND#" followed by an End-of-File ("EOF") character, which is 0x1A in hexadecimal notation. Lines can 20 terminate with any combination of carriage-return (0x0D) and line feed (0x0A) characters. The line length limit is 16384 characters.

20

Best Available Copy

IPR files can consist of any number of sections for example, an IPR file with zero sections is meaningless,
but permissible. All identifiers and variable names are
case-insensitive. Identifiers and variable names should
begin with a letter, <u>i.e.</u>, A to Z, and should not contain
space characters or any of the following characters:

Identifiers and variable names can be up to 31 characters long. Values can be up to 255 characters long.

Each section of the data file has the following form.

```
SECTIONTYPE {
...data for section...}
```

The "SECTIONTYPE" identifier is not required to be on the same line as the open brace and no space is required between the identifier and the open brace.

Under the specification, a program which does not recognize a section type should ignore it. Sections can be nested, e.g., a "RULE" section can be nested inside a "RULEBASE" section. A nested section is referred to as a "subsection." Within a section, all variables should come first, followed by any subsections.

Best Available Copy

Comment notation is similar to that of the programming language C++. Single-line comments begin with two slashes "//" and extend to the end of the line, as shown-below.

5 // This is a comment

Comments with multiple lines, such as the sample comment below, begin with slash-star "/*" and end with star-slash "*/".

/* This is a comment
which can extend
over multiple lines */

Any text denoted a comment should be ignored by programs.

Variable assignments have the following form.

variable = value

15 A value containing spaces or tabs should be enclosed in double-quotes, as shown below.

variable = "multi word value"

Spaces between the variable, equals sign "=", and the value are optional. A program reading an assignment should be able to understand the assignment with or without the spaces.

Some variables are optional and can be absent from an IPR file - a program is not required to be able to read or write these variables. A program encountering a variable unknown to it should be able to pass over that variable without disruption.

A required variable is indicated by a denotation "(required)" which follows the variable's definition. All reader applications and writer applications should process these variables.

Variables have assigned types which follow their

definitions: "string" denotes an ASCII string, "integer" indicates a 4-byte signed integer, and "float" signifies a floating point number.

Some section types are pre-defined. A "RULEBASE" section is used to store lists of rules and consists of a series of variables followed by a series of rule sections, as shown below.

RULEBASE

20

```
// variables:
            NAME = string
            COUNT = integer
            ATTRIBUTESFROM = string
            DEPENDENCYCOUNT = integer (*Enumerates the size of
5
                 dependency table*)
            // list of rules:
            RULE {
                  ...rule data...
10
            RULE {
                  ...rule data...
            }
15
            // realtime dependency table
            DEPENDENCYTABLE {
                  ...dependency data...
20
     }
```

E C 410071107000

In the "RULEBASE" section, the variable "NAME

(string, required)" has the rule base's name, which can be

up to 256 characters in length. A variable "DEPENDENCYCOUNT

(integer, optional)" indicates the number of elements in the

real-time dependency pruning table and should be present if

the "DEPENDENCYTABLE" subsection is present. The number of

rules in the rule base is stored by the variable "COUNT

(integer, required)."

An attribute data base, in terms of which the rule 30 base is defined, should precede the rule base in the IPR

5

file and is indicated by variable "ATTRIBUTESFROM (string, required)."

Two sections contained in a "RULEBASE" section are "DEPENDENCYTABLE (optional)" and "RULE (required)." The "DEPENDENCYTABLE" section contains real-time dependency information for the rule base and is stored as a series of integers separated by spaces. The "RULE" section stores a single rule and is contained in a "RULEBASE" section.

A "RULE" section has the structure shown below.

```
10
     RULE
             PRIORITY = float
             WEIGHT = float
             J-MEASURE = float
             LITTLE-J = float
15
             P (FIRE) = float
             P (CORRECT) = float
             DEPENDOFFS = integer
             IF {
20
                  // permissible if clauses:
                   attr = value}
                   attr <> value}
                   attr > value}
                   attr < value}
25
                   attr >= value}
                  {attr <= value}
             }
            IFOR { }
IFAND { }
30
                   attr = value | weight}
```

In a "RULE" section, the variable "PRIORITY (float, optional)" indicates the rule's priority, in arbitrary

units. Rule weight is signified by the variable "WEIGHT (float, optional)" which stores the logarithm of the rule's transition probability. The variables "J-MEASURE (float, required)" and "LITTLE-J (float, optional)" contain the rule's J-measure and j-measure, respectively. The

probability, based on the training examples, that the rule will be able to fire is indicated in the variable "P(FIRE) (float, optional)." Related variable "P(CORRECT) (float,

5

10

15

20

optional) "represents the probability, again based on the training examples, that the rule, if able to fire, will be correct. If a dependency table is used, the variable "DEPENDOFFS (integer, optional)" shows the offset position, in the realtime dependency table, of the rule's dependency information.

Subsection "IF (required)" has a standard left-hand side with "attribute = value" pairs and should not have nested boolean expressions. The attribute and value should conform to the specifications for variables.

Subsection "IFAND (optional)" is equivalent to subsection "IF." Subsection "IFOR (optional)" returns a boolean value of "TRUE" if one or more of its "attribute = value" pairs matches the input data. Subsections "IFAND" and "IFOR" can be nested within each other.

The subsection "THEN (required)" has a standard right-hand side with "attribute = value | weight" sets. The "weight" field, which is optional, represents the fraction of the total rule weight, indicated by the WEIGHT variable discussed above, which should be added to the logarithmic probability for the RHS value. The "weight" fields are not required to add up to 1.0. An omitted "weight" field is treated as a "weight" field of 1.0. As mentioned above, the

attribute and value should conform to the specifications for variables. Distribution rules can be represented by a "THEN" subsection which has one triplet for each possible RHS value or by a "THENDISTR (optional)" subsection which specifies an attribute and lists the weights for each value of that attribute in order.

As mentioned above, each rule base is defined in terms of an attribute base. An "ATTRBASE" section, which has the form shown below, stores an attribute base, <u>i.e.</u>, a series of attributes, just as a "RULEBASE" stores a series of rules.

5

10

The "NAME (string, required)" variable in the attribute base stores the attribute base's name, which can

Best Available Copy

be up to 256 characters in length. The number of attributes in the attribute base is represented by COUNT (integer, required).

The "ATTRIBUTE (required)" subsection has the structure shown below.

```
ATTRIBUTE {
            // variables:
            NAME = string
            COUNT = integer
10
            UNKNOWN = float
            // values
            VALUES {
                  value
                         probability}
15
                          probability}
                  value
                 {value
                        | probability
            }
    }
```

The variables of the "ATTRIBUTE" subsection include
the "NAME (string, required)" variable which stores an
attribute name of up to 256 characters in length and the
"COUNT (integer, required)" variable which represents the
number of values for the attribute. Another variable

"UNKNOWN (float, optional)" indicates the fraction of the
attribute's values that are unknown. A list of values and a

WO 97/35299 PCT/US97/04636

probability for each value is stored by the "VALUES (required)" variable.

The "RBASELIST" subsection is a section containing a list of rule bases and has the structure shown below.

Like other sections, the "RBASELIST" section has a

"NAME (string, required)" variable and a "COUNT (integer,

required)" variable. The "COUNT" variable represents the

number of rule bases in the list. The common attribute base

for the rule base list is indicated by the variable

"ATTRBASE (string, required)."

The "RBASELIST" section also has a subsection

25 "RBLIST (required)" which stores a list of data file names
for rule bases and flags for each rulebase.

WU 7//35477 PCT/U59//U4030

- Software Interface

5

10

The following describes a specification of a preferred Windows operating system interface between a shared rule-based inferencing software engine (the "server") and software applications which use the engine to learn and evaluate rule bases for real-time control (the "clients"). All applications, client-based and server-based, register three custom message numbers for communication, and use them to communicate commands and results between each other. The message numbers used are returned by the following actions.

AdmireControlMsg = RegisterWindowMessage ("ADMIRE/WIN Control");
AdmirePacketMsg = RegisterWindowMessage ("ADMIRE/WIN Packet");
AdmireFreePtrMsg = RegisterWindowMessage ("ADMIRE/WIN FreePtr");

Messages are sent between client and server using

Windows procedure "PostMessage ()." This allows the rule

base engine and clients to function asynchronously.

Applications should not send messages using Windows

procedure "SendMessage ()," which, unlike "PostMessage (),"

does not give up control in the Windows cooperative

multitasking environment.

When a message is sent, Windows structure "wParam" always contains the handle of the sending window, so the

receiver can easily determine where to send a reply. The value of Windows structure "1Param" depends on the type of message being sent.

A Control Message is used to initiate or terminate a communication or to send other application-level control messages. Accordingly, "lParam" is set as shown in the following table.

HIWORD	LOWORD	Meaning
1-HELLO	0	Client is broadcasting a request to all servers to initiate communication.
	1	Free server is responding to a client.
	2	Busy server is responding to a client.
	3	Client wants this server - server become busy.
	4	Client does not want this server - server becomes free.
2-BYE	0	Client or server is requesting connection be terminated.

10

15

5

A Packet Message is used to send packets between the client and server once communication has been established. In this case, "1Param" is a pointer to the packet data, which lies in global shared memory. Once a packet has been passed to another program via this interface, the sending program should not attempt to access the packet data. When the receiving program is done with the packet, it should

WO 97/35299 PCT/US97/04636

send a Free Pointer Message back to the sender so that the sender can free the associated memory.

The Free Pointer Message is sent to the original sender of a packet, signifying that the original receiver is done with the packet and that the memory associated with the packet can be freed. "lparam" should point to the memory to be freed.

All communications packets consist of a series of data structures called "chunks." Each chunk has the form shown in the table below.

Addresses	Type	Contents
0000-0003	ASCII chars	Chunk type, not a null-terminated string.
0004-0007	32-bit integer	Length of chunk including the header.
0008-0009	16-bit integer	Offset of start of chunk body from start of chunk.
000A-nnnn	Various	Chunk body.

15

10

All packets should begin with a header chunk "*HDR" and end with an end chunk "*END." Encoding the offset of the chunk body as noted in the table above allows more fields to be added to the chunk header.

20 Each packet should handle only one subject, <u>e.g.</u>, loading a series of files or learning a rule base. It is

WO 97/35299

preferable to send multiple small packets instead of one large complex packet, so that the sending of information does not entail large delays which can disrupt the multitasking environment.

All applications should be able to process all chunk types beginning with an asterisk "*." Processing other chunk types is optional. If an application does not understand one or more chunks in a packet, it should send an "*UNK" chunk back to the sender of the packet as part of any reply to the packet.

The "*HDR" header chunk is the first chunk in any packet and contains subfields in the chunk body as indicated in the following table.

Contents Addresses Type ID numbers should Packet ID number. 32-bit 0000-0003 be unique within a particular session. integer ID of the packet responding to, or 0 32-bit 0004-0007 if this packet is not responding to a integer previous packet. Number of chunks in this packet, 0008-0009 16-bit including the "*HDR and *END chunks." integer Version of the specification 000A-000B 2 8-bit supported, in the form A.B. integers

15

5

10

The "*UNK" chunk lists all the chunk types in a previous message that were not understood by the receiver. The chunk body thus consists of 4n bytes, where n chunk types were not understood, since each chunk type is a 4-byte string. This allows the sender to compensate for an older receiver which does not understand newer chunk types.

5

10

An "*ERR" chunk indicates that a chunk was malformed, was missing a required field, or was otherwise unintelligible. The body of the "*ERR" chunk contains the fields listed in the following table.

Addresses	Туре	Contents
0000-0003	32-bit integer	Address of the bad chunk in the referenced packet.
0004-0007	32-bit integer	Offset of the error in the chunk.
0008-0009	16-bit integer	Type of error according to the following list.

Error Type	Meaning	
0000	Unexpected end of packet.	
0001	Missing required field.	
0002	Invalid value for field.	
7FFF	Last globally-defined error type.	
8000-FFFF	Chunk-specific errors - possible errors are listed with each chunk type.	

WO 97/35299 PC1/US97/04656

The "*END" chunk should be the last chunk in a packet and has no body.

A "*WHN" chunk states the conditions, listed in the following table, under which the receiver should send back a response or series of responses to the sender.

Addresses	Туре	Contents
0000	8-bit integer	ONERROR-When errors should be sent.
0001	8-bit integer	WAITONERR-What should be done when an error is sent.
0002	8-bit integer	ONBUSY-What should be done if receiver is busy.

The integer "ONERROR" determines when the receiver should send errors generated by parsing the packet. It has one of the values listed below.

Value	Meaning
0 (default)	Send errors as soon as they are detected - one error per response packet.
1	Send errors as soon as the entire packet has been parsed - all errors in one response.
2	Send errors after the command completes - prepend the errors to the response to the command.

15

10

5

The "WAITONERR" integer, which has one of the values listed below, determines whether the receiver should wait for a response to any error messages before proceeding.

	Value	Meaning
5	0 (default)	Wait for a response from the sender before continuing processing of the packet.
	1	Continue processing the packet after sending any errors.

The "ONBUSY" integer, using one of the values below, indicates what the receiver should do if it is unable to process the commands in the packet immediately.

Value	Meaning	
0 (default)	Queue the command for processing.	
1	Queue the command for processing. Inform the sender that the command has been queued.	
2	Queue the command for processing. Inform the sender when the command has been queued, and again when the receiver starts processing the command.	
3	Do not queue the command. Inform the sender the command could not be processed.	

WO 97/35299 PCT/US97/04636

Some commands, <u>e.g.</u>, "WHER" and "ABRT," which are described below, are not queued but instead are processed ahead of other queued commands.

A "*CMD" chunk contains the main command to be processed in the packet and is organized as shown in the table below.

10

15

20

Addresses	Туре	Contents	
00000- 0003	ASCII	Command type, not a null-terminated string.	
0004-nnn	Various	Command-specific fields.	

A "COMM" or comment chunk contains null-terminated ASCII text and can be ignored safely by all applications.

A "PRED" chunk lists dependencies for a packet, i.e., lists the packet IDs whose commands should be completed before the current packet can be processed. If a "PRED" chunk is not present, the system assumes there were no predecessors to the current packet. The chunk body thus consists of n 32-bit packet ID's, i.e., 4n total bytes. The "PRED" chunk is necessary because packets can be queued asynchronously. For example, a packet which requests that rules be learned from examples should list as a predecessor the packet which loads the examples. The "PRED" chunk also allows for parallel or distributed processing of commands.

A "DEFS" chunk contains default values for the rule engine and is organized as shown in the table below. If a field has a value of -1 or contains an empty ASCIIZ, i.e., null-terminated, string, the present value is retained. If this chunk is sent to a server, the server's default values are changed to those specified in this chunk for all subsequent commands. Commands queued ahead of this chunk are not affected.

·	Addresses	Туре	Contents
10	0000-0001	16-bit integer	Maximum rule order to be learned.
	0002-0005	32-bit integer	Maximum number of rules to be learned.
	0006-0009	32-bit float	Small sample k for statistics.
	000A-000D	32-bit integer	Minimum number of rules which should agree with each rule to be learned.
	000E-0011	32-bit float	Minimum probability that learned rule is correct.
15	0012-0015	32-bit float	Minimum rule priority to keep when learning rules.
	0016-0035	ASCIIZ string	Attribute base.
	0036-0055	ASCIIZ string	Rule base.
	0056-0075	ASCIIZ string	Rule base list.
	0076-0095	ASCIIZ string	Example list.

5

WO 97/35299 PC1/US97/U4030

The "DIRS" chunk appears as shown below and lists all objects of the specified type that are present in server memory.

Addresses Type Contents

0000 8-bit integer Type of objects listed, or 0 for all objects.

0001-0002 16-bit integer Number of objects listed.

0003-0004 16-bit integer Size of each list entry in bytes.

0005-???? Various List entries.

List entries have the format shown below.

5

15

Offset	Туре	Contents
0000-001F	ASCIIZ string	Name of object.
0020	8-bit integer	Type of object.
0021-0024	32-bit integer	Number of things, <u>e.g.</u> , examples, rules, in object.
0025-0028	32-bit integer	Size of object in bytes.

A packet can contain any number of command chunks, including none. All commands in a packet should be related to each other. Command chunks can contain command-specific data starting at offset 0004 within the command chunk data.

A "WHER" command chunk is sent from a client to request the status of a server. This command should always be processed asynchronously, regardless of how many packets are queued when the command is received. The server sends back a "HERE" chunk in response. The "WHER" chunk is organized as shown in the following table.

Addresses	Туре	Contents
0004-0007	32-bit integer	Type of status information requested, listed in table below.

A "HERE" chunk contains the fields listed in the 10 following table.

5

Addresses	Туре	Contents
0004-0007	32-bit integer	Type of status information requested; list of types noted under "WHER" command.
0008-nnn	Various	Specific status information.

The "ABRT" command, which is sent from a client to a

15 server to abort a command, should always be processed
asynchronously. The command includes the fields shown in
the following table.

WO 97/35299 PCT/US97/04636

Addresses	Туре	Contents
0004-0007	32-bit integer	Packet ID containing command.
0008-000B	32-bit integer	Offset of command chunk in packet, 0 if aborting entire packet.
000C	8-bit integer	0-abort the rest of the packet. 1-abort this command chunk and go on to the next command in the packet.
000D	8-bit integer	O-abort all successors to the command, reference "PRED" chunk 1-do not abort successors to the command.

A "LOAD" command loads data from a file into the server's memory. This should be the only way rules and examples are loaded from disk into the client or server - the client should not load rules in its own routines.

5

10

Addresses	Туре	Contents
0004	8-bit integer	Type of data to load.
0005-0024	ASCIIZ string	Symbolic name to give data, 32 characters.
0025-0125	ASCIIZ string	Filename to load data from, 256 characters.

A "SAVE" command saves data from the server's memory

to a file. Likewise, this should be the only way rules and

examples are saved to disk from the client or server - the

client should not save rules in its own routines. The "SAVE" command has the fields listed below.

5

Addresses	Туре	Contents
0004	8-bit integer	Type of data to save.
0005-0024	ASCIIZ string	Symbolic name to save from, 32 characters.
0025-0125	ASCIIZ string	Filename to save data to, 256 characters.

A "COPY" command, which includes the fields listed below, copies data from an area indicated by a symbolic name to another area in the server's memory.

Addresses	Туре	Contents
0004	8-bit integer	Type of data to copy.
0005-0024	ASCIIZ string	Symbolic name to copy from, 32 characters.
0025-0044	ASCIIZ string	Symbolic name to copy to, 32 characters.

A "FREE" command, which includes the fields in the following table, frees a memory object in the server's memory.

Addresses	Туре	Contents
0004	8-bit integer	Type of data to free.
0005-0024		Name of object, 32 characters.

WO 97/35299 PC 1/USy //U4030

A "GETD" command, which is used to get all default values, has no fields and returns a "DEFS" chunk. A corresponding "SETD" command is not needed because the client is able to send instead the "DEFS" chunk with any necessary modifications.

5

10

20

A "LIST" command, organized as shown below, lists all structures of the specified type and returns a "DIRS" chunk. The DIRS chunk tells the pieces that are currently in memory - rules, rulebases, examples, attributes, etc. If the type is set to zero, the command lists all structures.

Addresses	Туре	Contents
0004	8-bit integer	Type of data to list.

The system also provides software functions such as the following.

15 AdmireSendPacket(HWND hwndDest, LPSTR packetcontents, integer timeout)

The function "AdmireSendPacket" asynchronously sends a packet and times out after the number of 10ths of a second indicated in the "timeout" field. The timeout procedure is necessary to avoid leaving the client in an endless loop if the server is inoperative, and vice versa.

The system also provides a handshaking procedure.

The following describes the messages sent back and forth,

<u>i.e.</u>, handshaking, that is performed to initiate communications, process commands, and terminate communications.

When a client wishes to initiate communication,

i.e., begin using the rule engine server, it should first establish a connection with the server. This is done as indicated below by sending a series of "HELLO,n" control messages back and forth, where "n" is the LOWORD, i.e., low data word, of "lparam" for the HELLO message.

- 10 1. The client sends "HELLO,0" to all top-level windows,

 i.e., the main operating-system interfaces of
 applications, and waits for up to 3 seconds.
- 2. Each free, <u>i.e.</u>, unattached, server responds with "HELLO,1" and then waits for a "HELLO,3" or

 "HELLO,4" response from the client. If the server receives a subsequent "HELLO,0" command from a different client, it queues that "HELLO,0" pending the response from the original client. Each busy, <u>i.e.</u>, connected, server responds with "HELLO,2."
- 20 3. If the client receives at least one "HELLO,1" within the timeout period, it sends "HELLO,3" to the server

WO 97/35299 PCT/US97/04636

to which it intends to connect and "HELLO,4" to all other free servers which responded.

The server which received "HELLO,3" responds

"HELLO,2" to all subsequent "HELLO,0" commands,

because it is now attached to a client. Servers

which received "HELLO,4" return "HELLO,1" until they

are also attached to clients.

5

15

20

- 5. If the client times out while waiting for a response, it starts up another instance of the server application program and goes back to step 1.

 When a client wishes to stop using a rule server, it should negotiate an end to the connection using the following process.
 - The client sends a "BYE" control message to the server.
 - The server cleans up in preparation for exit by releasing to the operating system the memory, fonts, bitmaps, and other system resources it is using and also by sending messages back to the client during this period which, e.g., warn of unsaved files.
 - 3. The server sends "BYE" to the client and breaks the connection. Depending on the nature of the server, it exits or remains loaded as a free server.

4. The client breaks the connection.

The currently-used system uses a command-line interface. The following commands are used to produce the system's output.

5 LEARN rbname {
 var1 value1
 var2 value2

LHS attr1

10 lhs attr2

PUC attr

RHS attrn 15

20

The "LEARN" command learns a new rule base from examples and takes a list of parameters enclosed in brackets {}. Variables which are specified in capitals are mandatory; all others are taken from defaults if they are not present. Variable values are listed in pairs. There should be at least one attribute on the left-hand side and only one attribute on the right-hand side. The "}" bracket ends the parameter list for the "LEARN" command.

FILTER rbname filtertype value

The "FILTER" command filters the rule base with the types of filters listed and described below.

WO 97/35299 PCT/US97/U4636

ALWAYS attr NEVER attr ONLY attr PROB f LITTLEJ f PRIO f WEIGHT f LOWPROB f

5

25

The "ALWAYS" filter removes rules which do not

contain the specified attribute on the left-hand side.

Conversely, the "NEVER" filter removes rules which do

contain the specified attribute on the left-hand side. The

"ONLY" filter removes rules which have anything other than

the specified attribute on the left-hand side.

The remainder of the filters listed above address threshold levels specified separately by "f." The "PROB" filter removes rules with an insufficient probability of being correct. Likewise, the "LITTLEJ," "PRIO," and "WEIGHT" filters remove rules wherein the J-measure, priority, and weight, respectively, are too low. Finally, the "LOWPROB" filter removes rules with an excessive probability of being correct.

The "LOWPROB" filter is used to split a rule base into two rule bases, one with high-probability rules and the other with low-probability rules. For example, the following steps can be performed using a set of rules "R1."

- 1. Copy R1 to Rhi.
- 2. Copy R1 to Rlo.
- 3. Filter Rhi with PROB 0.5.
- 4. Filter Rlo with LOWPROB 0.4999999.
- The result is that rule base "Rhi" contains all of the highprobability rules and "Rlo" contains all of the rules of
 rule base "Rl" that are not in rule base "Rhi." Moving the
 low-probability rules to a separate rule base eases analysis
 of them to determine whether they contain useful

PRUNE rbname

The "PRUNE" command uses subsumption pruning to remove unneeded rules from the rule base.

RBLIST rblname{

rulebase1 flags1 rulebase2 flags2

information.

}

10

The "RBLIST" command creates a rule base list from

the specified rule bases and applies the rule bases in

proper order using the specific flags. The rule base list
should contain at least one rule base and flags should be
separated by vertical bars "|, " e.g., "ALLLHS GUESS."

WO 97/35299 PCI/USY//U4030

"ALLLHS," if set, indicates that the system should have values for all of the LHS attributes in the rule base before applying the rule base. A set "GUESS" flag forces the system to guess the most likely RHS if no rules fire. If the "OVERWRITE" flag is set, the system determines a new RHS value even if the current RHS value is known. Output data from each inference is kept if the "KEEPOD" flag is set. Finally, a set "RANDOM" flag indicates that if more than one RHS value is possible, one should be picked randomly based on the probabilities of the values.

TEST name WITH exlist

5

10

15

The "TEST" command tests the rule base or rule base list with the example set and prints the test statistics.

Testing a rulebase with a set of examples involves, for each example in turn, comparing the expected result from the example with the predicted result from the rulebase.

The "TEST" command then prints out statistics such as those in the illustration below.

20 Total examples: 3134

Examples classified: 3070 (98%)

Examples classified correctly: 1477 (48%)

Histogram of examples vs. rules fired per example:

	Rules	Examples
	0	64
	1	6
	2	53
5	3	50
	4	108
	5	210
	6	252
	7	363
10	8	454
	9	395
	10	302
	11	305
	12	239
15	13	198
	14	61
	15	45
	16	25
	17	2
20	18	2

Average rules per example: 8.551

Histogram of examples vs. popularity of right answer:

Place Examples Avg. Rules

	1	1477	8.793
	2	597	8.625
	3	235	9.311
	4	147	10.374
5	5	44	10.727
	6	9	11.111

10

15

20

No rules predicted correct RHS: 625 0.000

In this illustration, the rule base was tested with a set of 3134 examples. If no rules fire, the rulebase does not make a classification. In 3070 of the examples, at least one rule fired. In 1477 of the examples, the rule base correctly classified the example.

The next section of the analysis shows a histogram of the number of rules fired. The histogram peaks at 8 rules per example and has an average of 8.551 rules per example.

The last section shows details about how successfully the rule base chose or at least suggested the correct answer. In 1477 of the examples, the rule base chose the correct answer. In 597 of the examples, the rule base selected the correct answer as the second-most-likely answer. In 625 of the examples, the rule base did not even suggest the correct answer as a possible answer.

Best Available Copy

The following describes commands relating to realtime inferencing.

5 attr1 FROM attr2 attr2 UNKNOWN attr3 TO val

}

IF attr1 vall THEN attr2 from attr3

The "INDATA" command creates the input data and should have at least one attribute-value pair. All values are initially set to a value of "UNKNOWN." For each attribute, the command gets its next value according to the following procedure in this example. First, the value of attribute "attr1" is copied from attribute "attr2." Next, attribute "attr2" is set to "UNKNOWN." Then attribute "attr3" is set to the specified value "val." Finally, the value of attribute "attr2" is copied from the value of attribute "attr3" only if attribute "attr1" has the value "vall."

The values "val" and "vall" are explicitly specified. For example, in a harmony "INDATA," the following setting is made at the start of each timestep.

Function0 UNKNOWN

25 Such a setting is equivalent to the following.

WO 97/35299 PCI/US9//U4030

Function0 TO "?"

The "TO" operator can also be used to test a rule base which has more flexibility than is necessary at the moment. For instance, if a rulebase has rules for both major and minor keys, the following setting can be made to restrict use to the rules for the major key only.

MajMin TO Major

5

10

15

To ensure that an attribute's value is updated only under certain conditions, a directive such as the following can be used.

IF Accent1 ACC THEN FunctionLA from Function1

This directive copies the value from the previous timestep's function "Function1" into the previous accented beat's function "FunctionLA" only if the previous timestep was accented, <u>i.e.</u>, "Accent1" had the value "ACC."

REALTIMEMIDI {
 rblist
 indata idname
}

The "REALTIMEMIDI" command harmonizes a melody in real time and expects the input data to contain the following attributes: Melody0, Function0, Inversion0, Alto0, and Tenor0. The rule base list to use, if not the default, is specified by "rblist." Likewise, the input data to use, if not the default data, is specified by applying the "indata."

NEW type name n

5

The "NEW" command creates a new empty structure

10 capable of holding n elements, e.g., "NEW RBLIST simpleharm

16." Rule base lists are composed of rule bases which in

turn are composed of rules. Likewise, example lists are

composed of examples and attribute bases are composed of

attributes.

JOIN name AND name INTO name

The "JOIN" command allows two rule bases to be merged to create a new rule base.

F. Other Embodiments

The embodiments described above are but examples,

which can be modified in many ways within the scope of the
appended claims. For example, the invention can also use

accent-based conversion, wherein additional example fields are allowed to be created for previous timesteps which start at the beginning of a beat, accented beat, or fermata. In accent-based conversion, only one example is created per timestep, so it is not necessary to weight the examples, a list of which would likely appear as follows.

%NAME 0 FunctionLastAccentedBeat

%NAME 1 FunctionLastBeat

%NAME 2 Function1

10 %NAME 3 Function0

5

15

20

25

With accent-based conversion, it is possible for the first three fields to refer to the same timestep if the previous timestep was at the start of an accented beat. Such redundancy, which leads to highly interdependent rules, makes real-time independence pruning essential.

Furthermore, the invention can use non-MIDI input sources, such as pitch data from a microphone, allowing a vocalist to sing or hum a tune which is converted into pitches and used to generate a harmony. Likewise, the invention can accept pitch data from a program, such as a

5

program according to the invention which generates melodies instead of harmonies.

In addition, the invention can be applied to assist in the derivation of a representation for the overall structure of a piece of music by encoding information about phrases and sections in music, such as the verse-chorus structure common to much vocal music. The invention can also provide a system which includes cues for modulation from one key to another.

In addition, the invention can provide a system allowing voices to make jumps over awkward intervals such as tritones or over distances further than an octave.

Furthermore, the invention can provide a system realizing a figured bass that allows two voices to cross or to play in unison, i.e., play the same pitch. The invention can also provide a system that develops information about whether voices are changing pitch in the same or different direction as other voices.

Moreover, the invention can provide a system that

detects ornaments, described above, which are usually used
to smooth a voice line by removing large jumps in pitch.

The invention can add such ornaments to generated harmonies
to make them more interesting.

Furthermore, the invention can provide a system relating to drums and other percussion instruments, by using a notation for rhythm.

In addition, the invention can provide a system relating to orchestration and part writing in the areas of music involving expansion of four-part harmony into sufficient additional lines so that each instrument in an orchestra has something interesting to play, in the pitch range which the instrument can generate. The invention can also assist in research focusing on the methods used to duplicate and modify voice lines to produce distinct parts, and ways of moving the melody between instruments.

10

15

20

Likewise, the invention can provide a system relating to similar concepts needed to reproduce contemporary music, wherein the harmonic information is distributed between a vocalist, lead guitar, bass guitar, keyboard player, and other instruments.

In addition, the invention can use Bach inventions, sinfonias, and fugues to learn rules for counterpoint and development of a theme or motive. Similarly, the invention can assist in the study of methods for employing chord accents in syncopated rhythms to provide extracts from ragtime pieces by Scott Joplin, for instance. Furthermore,

the invention can use, for example, African drum music or any other sound to develop rhythm notation.

Moreover, the invention can assist in research focusing on the differences between the styles of various composers to determine, <u>e.g.</u>, what makes Mozart piano sonatas sound different than Beethoven piano sonatas, and how the choral works of Bach differ from those of Handel.

Other embodiments:

5

-Extending Temporal Knowledge

Existing rulebase sets look only at the accent of the current chord and the information from the previous few chords. This limits the ability of the rulebases to compensate for and generate harmonic transitions on a larger scale.

Deriving a representation for the overall structure of a piece of music would allow ADMIRE additional flexibility in this regard. Such a representation would encode information about phrases and sections in music, such as the verse-chorus structure common to much vocal music. It would also include cues for modulation from one key to another.

- Counterpoint and Voice Leading

Although the existing voice position rules perform an acceptable job of filling in the pitches used by a given chord, they do little to make the individual voices singable. Voices often have jumps over awkward intervals such as tritones or distances over an octave. Furthermore, the current method for realizing a figured bass does not allow two voices to play a unison (play the same pitch), nor does it allow voices to cross. It also lacks information about whether voices are changing pitch in the same or different direction as other voices.

Additional adding of ornamentation can be used to smooth a voice line by removing large jumps in pitch. Once ornaments are well understood, they could also be added to generated harmonies to make them more interesting.

15 6.3 Rhythm Notation and Percussion

10

20

Most contemporary music includes drums and other percussion instruments. Drum parts tend to change on a measure-by-measure basis, and an entire piece of music may contain relatively few distinct drum patterns which are combined in various orders. In addition, most percussion sounds are to a large extent atonal; the information contained in their parts is almost entirely rhythmic. These

differences will necessitate a notation for rhythm that is much different than the pitch-based or chord-based representations currently used in ADMIRE>

- Orchestration and Part Writing

5

- 10

Orchestration and part writing are the areas of music involving expansion of four-part harmony into sufficient additional lines so that each instrument in an orchestra has something interesting to play, in the pitch range which the instrument can generate. Research here could focus on the methods used to duplicate and modify voice lines to produce distinct parts, and ways of moving the melody between instruments.

- Different Forms of Music

Once the rules of Bach chorales are well understood,

research could be expanded to encompass other musical forms.

Bach inventions, sinfonias, and fugues could be used to
learn rules for counterpoint and development of a theme or
motive. Methods for employing chord accents in syncopated
rhythms could be extracts from ragtime pieces by Scott

Joplin. Rhythm notation could be developed on African drum
music. Orchestral works by Mozart and Haydn could be used

as examples for part writing and orchestration, with Beatles music serving in a similar role for contemporary music.

Research could also focus on the differences between the styles of various composers. What makes Mozart piano sonatas sound different than Beethoven piano sonatas, and how do the choral works of Bach differ from those of Handel? Since the algorithms used are all rule-based, it is possible to investigate the rules which are generated and how they are fired.

All of these modifications are intended to be encompassed within the following claims, in which:

5

What is claimed is:

10

15

1. A method of composing music, comprising:

receiving a first series of musical notes defining a first melody having a first harmony;

analyzing the first harmony within the first melody, by forming examples from the first series of musical notes, and deriving, in real-time, at least first and second rules relating to the first melody, the second rule conflicting with the first rule, and each of said first and second rules including a weight associated therewith;

receiving additional notes of said melody and forming additional examples from said additional notes;

determining ones of said additional examples that agree with said first rule and increasing a weight of said first rule when an example agrees with said first rule, and determining ones of said additional examples that agree with said second rule and increasing a weight of said second rule when an example agrees with said second rule;

receiving another melody to which a harmony is to be formed;

evaluating said another melody using both of said first and second rules; and

when both said first and second rules each apply to said another melody, applying the one of said rules which has the higher weight to said melody, in real-time.

5

10

2. The method of claim 1 further comprising analyzing the first harmony to derive in real-time a second rule relating the first melody to first harmony, the second rule conflicting with the first rule;

comparing the first rule to the second rule; and assigning a weight to an outcome of the second rule; and

choosing an outcome based on the weights.

3. A method of analyzing musical information,15 comprising:

converting the musical information from MIDI format to figured bass format;

generating an example table from the figured bass musical information; and

determining a plurality of rules, each rule determined from two distinct examples within said example table, which are different than one another, one property of each rule relating to statistics of musical information in the examples.

4. The method of claim 3, further comprising applying filtering, segmentation, and subsumption pruning to the rule; and

5

generating dependency data using the rule.

5. The method of claim 3, wherein deriving a rule using the example table comprises

calculating a hash value for an example;

forming a preliminary rule linking the hash value to an attribute to be inferenced; and

- subjecting the preliminary rule to a quality test.
 - 6. The method of claim 5, further comprising: calculating hash values for a plurality of examples; and

wherein the subjecting comprises rejecting the preliminary rule if an insufficient quantity of examples correspond to the preliminary rule's hash value.

7. The method of claim 5, further comprising: calculating hash values for a plurality of examples; and

5

10

20

the quality test comprises rejecting the preliminary rule if the preliminary rule's hash value corresponds to an insufficient quantity of examples having a particular value of the attribute to be inferenced.

- 8. The method of claim 5 further comprising calculating a J-measure for the preliminary rule, wherein
- the quality test comprises rejecting the preliminary rule if the preliminary rule's J-measure is insufficient.
 - 9. The method of claim 4 wherein the rule is filtered out if the rule disregards a current melody note in determining a chord function.
 - 10. The method of claim 4 further comprising

deriving a plurality of rules;
organizing the rules in a rulebase; and
segmenting the rulebase into a plurality of new

a first new rulebase includes rules having a desired attribute; and

rulebases; wherein

a second new rulebase includes rules lacking the desired attribute.

11. A method of producing a database of rules for
10 producing musical sounds, comprising:

using first musical sounds as examples to derive a plurality of rules;

organizing the rules in a rulebase; and removing a first rule from the rulebase if:

the first rule and a second rule predict a same value of a same attribute,

the first rule has more attributes than the second rule,

all of the attributes of the first rule are
20 present with substantially the same values in the second
rule, and

the second rule is correct at least as often as the first rule.

- 12. The method of claim 11 further comprising determining that two rules are dependent if both rules are activated in at least half of the instances in which at least one of the two rules is activated.
- 13. A music composition system comprising
 an analyzer receiving a first harmony including a
 first melody and deriving in real-time a first rule relating
 the first melody to the first harmony; and

10

- a harmonizer receiving a second melody and applying the first rule in real-time to the second melody to produce a second harmony relating to the second melody.
- an analyzer receiving a first harmony including a first melody and deriving in real-time a first rule relating the first melody to the first harmony and a weight for the first rule based on statistical information in the first melody and first harmony, wherein the analyzer derives a second rule in real-time relating the first melody to first

harmony and a weight for the first rule based on statistical information, the second rule conflicting with the first rule; and

a harmonizer receiving a second melody and applying

the first rule in real-time to the second melody to produce
a second harmony relating to the second melody,

said harmonizer comparing the first rule to the second rule and determining which of said rules to use based on said weights.

15. A method of converting musical information of a musical piece from MIDI format to figured bass format, comprising

transposing the musical piece to a standard key;
segmenting the transposed musical piece into chords
by beginning a new chord whenever a voice changes pitch;

attempting to match each chord with a known chord to produce identified chords each having a root and a type;

determining a position for each voice of each identified chord by comparing each voice's pitch with pitches allowed in the voice's matching known chord; and

15

20

attempting to match each identified chord with a known function by comparing each identified chord's root and type with a table of common functions.

16. A musical information analyzer, comprising a converter receiving musical information in MIDI format and producing musical information in figured bass format;

5

and

using the rule.

20

a table generator deriving an example table from the figured bass musical information; and

a rule generator, determining a plurality of rules, each rule determined from the two distinct examples which are different than one another, one property of each rule relating to statistics of musical information in the examples.

15 17. The analyzer of claim 16, further comprising

a filter applying filtering to the rule;

a rule segmenter applying segmentation to the rule;

a pruner applying subsumption pruning to the rule;

a dependence analyzer generating dependence data

- 126 -

18. The analyzer of claim 16, wherein the rule generator comprises:

a hash calculator calculating a hash value for an example;

a preliminary rule generator forming a preliminary rule linking the hash value to an attribute to be inferenced; and

a tester subjecting the preliminary rule to a quality test.

10

19. The analyzer of claim 18, wherein the hash calculator calculates hash values for a plurality of examples; and

the quality test comprises rejecting the preliminary rule if an insufficient quantity of examples correspond to the preliminary rule's hash value.

20. The analyzer of claim 18, wherein the hash calculator calculates hash values for a plurality of examples; and

the quality test comprises rejecting the preliminary rule if the preliminary rule's hash value corresponds to an

insufficient quantity of examples having a particular value of the attribute to be inferenced.

21. The analyzer of claim 18 further comprising
a J-measure calculator calculating a J-measure for
the preliminary rule, wherein

5

the quality test comprises rejecting the preliminary rule if the preliminary rule's J-measure is insufficient.

- 22. The analyzer of claim 17 wherein the filter removes the rule if the rule disregards a current melody note in determining a chord function.
 - 23. The analyzer of claim 17 wherein
 the rule generator derives a plurality of rules;
 a rule organizer organizes the rules in a rule base;
 and
- the rule segmenter segments the rule base into a plurality of new rule bases; wherein
 - a first new rule base contains rules having a desired attribute; and
- a second new rule base contains rules lacking the 20 desired attribute.

24. The analyzer of claim 17 wherein: the rule generator derives a plurality of rules; a rule organizer organizes the rules in a rulebase; and

5 the pruner removes a first rule from the rulebase if:

the first rule and a second rule predict a same value of a same attribute,

the second rule has more attributes than the 10 first rule,

all of the attributes of the first rule are present with the same values in the second rule, and the second rule is correct at least as often as the first rule.

15 25. The analyzer of claim 17 wherein the rule generator derives a plurality of rules; and the dependence analyzer determines that two rules are dependent if said two rules are activated in at least half of the instances in which at least one of the two rules 20 is activated.

Kindly add the following new claims:

. 5

15

26. A system which converts musical information of a musical piece from MIDI format to figured bass format, comprising

a key transposer transposing the musical piece to a standard key;

a segmenter segmenting the transposed musical piece into chords by beginning a new chord whenever a voice changes pitch;

a chord matcher attempting to match each chord with a known chord to produce identified chords each having a root and a type;

a position determiner determining a position for each voice of each identified chord by comparing each voice's pitch with pitches allowed in the voice's matching known chord; and

a function matcher attempting to match each identified chord with a known function by comparing each identified chord's root and type with a table of common functions.

27. A method of composing music, comprising: obtaining a sample of music whose style is to be analyzed;

producing a plurality of examples from said sample of music;

generating a plurality of rules from the plurality of examples, said rules predicting certain examples which follow other examples, and each said rule including weights associated therewith, said weights defining a statistical likelihood that said rule will be followed,

increasing a weight of a rule when a particular example agrees with the rule; and

decreasing a weight of the rule when a particular example does not agree with the rule.

28. A method as in claim 27 further comprising: storing all of said rules into a rulebase; obtaining a melody which is to be analyzed using

said rules in said rulebase; and

analyzing said melody using all of said rules in said rulebase, by using said melody to fire all rules in said rulebase which are applicable to said melody, evaluating a result of firing of said rules, and resolving

conflicts between conflicting rules based on said weights associated with the conflicting rules.

29. A method as in claim 28 wherein said rules relate to harmonies that are derived from melodies, and further comprising:

presenting a harmony produced by a particular rule to an operator who can determine if said harmony is desirable;

accepting an input from said operator indicating if said harmony is desirable;

increasing the weight for the particular rule if the harmony is desirable and decreasing the weight for the particular rule if the policy is not desirable.

30. A method of generating rules from a musical piece, comprising:

obtaining musical information;

converting said musical information to examples;

determining a minimum number parameter, indicating a minimum number of agreements before a rule can be formed;

comparing said examples to generate a prediction of attributes that will follow one another;

determining if each said prediction has occurred before within said set of examples by a number of times

having a predetermined relationship with said minimum number parameter;

establishing a rule of the form "If (a) Then (b)" if said prediction has occurred said number of times having said predetermined relationship with said minimum number parameter; and

establishing a weight associated with said rule, said weight indicative of a number of times that (a) correctly predicts (b).

- 31. A method as in claim 30 wherein said rule is of the form "If attribute (A1) and attribute (A2) Then attribute (B3); correct X percent of the time, where x is the percentage of times that attributes (A1) and (A2) predict attribute (B3).
- 32. A method as in claim 27, further comprising ordering said database in a way that improves use of said rules.
- 33. A method as in claim 32, wherein said ordering comprises

determining a certain attribute which is important for a current application; and

filtering the plurality of rules to prevent rules from being used which do not use that attribute.

- 34. A method as in claim 33 wherein said attribute is a rule which disregards a current melody note in determining a current chord function.
- 35. A method as in claim 32, wherein said ordering comprises

determining a desired attribute for a desired application;

grouping the plurality of rules based on whether they include that desired attribute;

placing rules which include the desired attribute in a first segmented rulebase, and placing rules which do not include the desired attribute into a second unsegmented rulebase.

36. A method as in claim 35 further comprising: obtaining a musical melody to be applied to said database;

first checking said segmented rulebase to determine if rules in said segmented rulebase meet a predetermined criteria and if so, using only the rules in said segmented rulebase; and

if no rules meet the predetermined criteria, using the rules in said unsegmented rulebase.

- 37. A method as in claim 36 wherein the predetermined criteria is whether a rule has fired.
- 38. A method as in claim 27, further comprising analyzing the rules to determine rules which are depending with other rules; and

removing at least some of the dependent rules.

39. A method as in claim 38 wherein said analyzing comprises:

finding at least two rules which produce a same result;

determining a set of examples for which each rule fires;

determining an overlap for which both rules fire; and

determining a percentage of dependence between the rules.

40. A method of composing music, comprising: obtaining a sample of music whose style is to be analyzed;

producing a plurality of examples from said sample of music;

generating a plurality of rules from the plurality of examples, said rules predicting certain examples which follow other examples, and each said rule including weights associated therewith, said weights defining a statistical likelihood that said rule will be followed;

storing all of said rules into a rulebase;

analyzing a melody which using said rules in said rulebase to form a harmony accompanying said melody to provide an accompaniment to said melody according to said rulebase;

listening to said accompaniment; and

either taking no action based on said accompaniment in which case a weight which produced the harmony is unchanged, taking an action to indicate dislike of the result in which case said weight which produced the harmony is decreased, or taking an action to indicate like of the result in which case said weight is increased.

41. A method as in claim 40 wherein said increase in weight is by .01.

42. A method as in claim 1, wherein said first and second rules are increased in weight each time an example agrees.

- 43. A method as in claim 1, wherein there are more than two rules formed by said analyzing, said more than two rules form a rulebase, and wherein all of said rules in said rulebase are evaluated during said evaluating.
- 44. A system as in claim 14, wherein there are more than two rules formed by said analyzer, said more than two rules form a rulebase, and wherein all of said rules in said rulebase are evaluated by said analyzer.
- 45. A method of composing music, comprising: obtaining a sample of music whose style is to be analyzed;

producing a plurality of examples from said sample of music;

generating a plurality of rules from the plurality of examples, said rules predicting certain examples which follow other examples, and each said rule including weights associated therewith, said weights defining a statistical likelihood that said rule will be followed;

storing all of said rules into a rulebase;


using said rulebase to analyze another melody, by evaluating taking all of the plurality of rules in the rulebase in parallel and then resolves any conflicts between rules based on the rule weights. 1. A method of composing music, comprising

receiving a first series of musical notes defining a first melody;


analyzing the first harmony to derive in real-time at least two rules relating to the first melody;

receiving additional notes; and

applying the at least two rules in real-time to the additional notes, to generate chord notes that relate to the additional notes.




F16. 1



F16.2

3/14


CONVERSION TO FIGURED BASS




F16. 3


$$J(X; Y = y) = p(y) \cdot [P(X|Y) \cdot \log(\frac{p(x|y)}{p(x)}) + (1 - p(x|y)) \cdot \log(\frac{(1 - p(x|y))}{(1 - p(x))})]$$


F16.4





F16.6





F16. 8

9/14

HARMONIZATION USING RULES

CHECKING OF EACH RULE IN ORDER OF DECREASING J-MEASURE ~ 106 a

ACCUMULATION OF WEIGHTS ~ 106 b

EXTRAPOLATION AND RESOLUTION OF CONFLICTS ~ 106 c

F16.9

10/14

CONVERSION TO MIDI

MATCHING OF UNPLAYED NOTES WITH PITCHES OF VOICES ~ 1076,

INDICATION OF DELAYS CORRESPONDING TO CHORD DURATIONS ~ 1074

INDICATION OF NOTE TERMINATIONS ~ 1076

F16, 10



FIGURE 11



FIGURE 12



FIGURE 13



FIGURE 14

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US97/04636

	- <u>-</u>	
A. CLASSIFICATION OF SUBJECT MATTER		
IPC(6) :G10H 1/00, 7/00 US CL :84/634, 649, 650, 666, 669		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
U.S. : 84/634, 649, 650, 666, 669, 635, 637, 651, 667, 669, DIG. 9		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category* Citation of document, with indication, when	e appropriate, of the relevant passages	Relevant to claim No.
Y US 5,218,153 A (MINAMITAKA) 08 JUNE 1993, COL. 11, LINES 6-36		3, 16
		1-2, 4-15, 17-45
US 5,396,828 A (FARRAND) LINES 61-68 AND COL. 37, LIN US 5,418,323 A (KOHONEN) 23 8-15	ES 1-5	3, 16
Purther documents are listed in the continuation of Box C. Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "B" searlier document published on or after the international filing date "A" document which may throw doubts on priority chains(a) or which is obtained to enablish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other masses P" document published prior to the international filing date but later than the priority date claimed prior to the international search Date of mailing of the international search report		
20 MAY 1997	0 9 JUN 1997)	iopoli
ame and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231	Authorized officer MARLON FLETCHER	-2/2
nesimile No. (703) 305-3230	Telephone No. (703) 308-08-8	- KW

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS

□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

□ FADED TEXT OR DRAWING

□ BLURRED OR ILLEGIBLE TEXT OR DRAWING

□ SKEWED/SLANTED IMAGES

□ COLOR OR BLACK AND WHITE PHOTOGRAPHS

□ GRAY SCALE DOCUMENTS

□ LINES OR MARKS ON ORIGINAL DOCUMENT

□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.